



FEATURES:

- Less power consumption
- LED Digital Display Temperature Controller
- Highly efficient Longer functional life
- Cleanable & replaceable door magnetic gasket
- Lockable high quality single steel door latch with lock & key
- User friendly design & Easy Setup
- Audio Visual Temperature Alarm for security purpose or power failure

PRODUCT SPECIFICATIONS: MODEL : AGN-LDF-

360L Capacity in liters : 400L Cabinet : Vertical
Cooling/Refrigerant type : Direct/CFC free
Interior/Exterior : Exterior made of high-impact, scratch resistant powder coated and Interior SS chamber Castors : Heavy duty lockable Ground clearance : 100mm Compartments/Racks : 4 nos.
Temp. Range : -10°C to -25°C increment $\pm 1^\circ\text{C}$ Noise level : 60dB Power Supply : 220/230V at 50Hz **Spares Including:** Power cable and Plug Voltage Stabilizer Instruction Manual Warranty Certificate

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we

sources from the most reliable vendors. The clients can avail our Deep Freezer vertical upright in different customized models and specifications as per requirements.

Hot Air Oven AGN-101H

[Read More](#)

SKU:

Price: ~~₹315,000.00~~ Original price was: ₹315,000.00. ₹280,000.00 Current price is: ₹280,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)



Product Description

- Capacity: more than 300 liters.
- Double wall SS304 with glass wool insulation.
- Solid and plain bottom without electricals.
- Interior made out of polished Stainless Steel sheet 304 grade.
- Exterior made out of Stainless steel sheet 304 grade.
- Easily removable SS 304 trays with adjustable height in 25mm.
- Microprocessor based PID Digital Temperature controller LED display shows temperature & time.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility.
- Inside Temperature ambient to +50°C to 250°C with accuracy $\pm 2^{\circ}\text{C}$.
- PT100 temperature sensor.
- Audio Visual Temperature for over/undershoot temperature, door opening and security purpose.
- Forced air circulation fan for uniform temperature.
- SS tubular heater.
- Automatic daily data backup.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[READ MORE](#)

SKU:

Price: ₹115,000.00 Original price was: ₹115,000.00. ₹105,000.00 Current price is: ₹105,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: 150 litre.
- Glass wool insulation.
- External Dimension: 710x651x870mm.
- Internal Dimension: 600x500x500mm.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of cold rolled steel plate with melamine resin baking finish.
- Shelf plate with standard load approx. 15kgs/piece
- Easily removable SS 304 trays with adjustable height.
- Microprocessor PID Digital 3 patterns Temperature controller LCD/LED display.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility and Scirocco fan.
- Inside Temperature ambient to +10°C to 250°C with accuracy $\pm 2.5^{\circ}\text{C}$, temp control $+1^{\circ}\text{C}$.
- Safety counter measures: self diagnosis functions (temp sensor abnormal, heater disconnection, SSR-short Automatic overheating prevention).
- Key lock function, over heat prevention, electrical leakage breaker with over current protection. SS heater 1.34KW and 30W blower motor fan.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[READ MORE](#)

SKU:

Price: ₹120,000.00 Original price was: ₹120,000.00. ₹110,000.00 Current price is: ₹110,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: more than 150 litre bench top model.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of (CRCA) Mild Steel powder coated paint.
- Chrome plated rack, load capacity 10kg.
- 3 nos. easily removable SS 304 trays with adjustable height.
- Automatic Microprocessor programmable PID Digital Temperature controller with timer, alarm & auto tuning.
- Door with glass window fluoroelastomer gasket, heavy brass chrome plated hinges, quick magnetic locking facility and Two adjustable exhaust Air flap.
- Inside Temperature ambient to +5°C to 300°C with accuracy $\pm 0.5^{\circ}\text{C}$, uniformity $\pm 2.0^{\circ}\text{C}$ at 100°C.
- Temperature safety device (DIN 12880) with visual alarm.
- Aero dynamic internal design for achieving horizontal air circulation.
- Automatic cut off of heater & blower and USB Interface.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



Price: ₹350,000.00 Original price was: ₹350,000.00. ₹325,000.00 Current price is: ₹325,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Hospital Furniture](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

FROST FREE DEEP FREEZER (AGN-DF-720L-30C) Technical Specifications • Refrigerator Type: Upright freezer with shelves • Temperature: -20° C or better • Microprocessor controller • Display – Digital • Capacity: 640 Liters (Approximate) • Defrosting Type: Frost Free (Automatic defrosting facility) • Alarm: Temperature-high/low, door open, power cut, malfunction • ISO & CE certified • Power: 230V, 50/ 60Hz • Warranty: 1 year



Price: ₹1,425,000.00 Original price was:
₹1,425,000.00. ₹1,290,000.00 Current price is:
₹1,290,000.00.

Stock: instock

Categories: [Biotechnology](#), [Histopathology](#),
[Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration Vertical Upright Deep Freezer with CE and FDA certified. These equipments are used for quick freezing and storing of vaccines, biological & medical specimens & blood samples. To manufacture the equipments, we use finest quality materials sourced from the most reliable vendors. The clients can avail our Deep Freezer Vertical Upright in different customized models and specifications as per requirements.

TECHNICAL SPECIFICATIONS: MODEL : AGN-ULDF-800L Capacity in liters : 800L Cabinet : Vertical Interior : High grade Stainless Steel Exterior : High-impact, cold rolled scratch resistant powder coated Compartments : 4 nos. Noise Level : <50dB Refrigerant : CFC & HCFC free Temp. Range : -40°C to -80°C $\pm 1^\circ$ increment Power Supply : 220-250V at 50Hz Unit Warranty : 3 Years Compressor Warranty : 5 Years

SALIENT FEATURES: ♦ User friendly design, Easy Setup & Highly efficient Longer functional life ♦ Less power consumption <15kw/day ♦ Vacuum relief port and Front panel filter ♦ Touch Screen Eye level Microprocessor Digital Display Temperature Controller ♦ Fast refrigerant recovery -70°C reach within 30 minutes at 1 minute door opening ♦ Battery Backup system and USB port access ♦ Record facility for door opening/closing ♦ Lockable high quality door magnetic latch, padlock capability with lock & key ♦ Inbuilt 4-20mA, RS485 Dry Contacts for remote monitoring. ♦ Audio Visual Alarm for High/low Temperature, battery low, and power failure etc.



[Read More](#)

SKU:

Price: ₹950,000.00 Original price was: ₹950,000.00. ₹750,000.00 Current price is: ₹750,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Laboratory Equipments](#)

Product Description

CE certified Capacity in liters: 501-550 L Type of Cabinet: Vertical Heavy duty lockable castors and levelling for adjustments and installation 15 Nos. of holding racks 4 Nos. of inner storage compartments with insulated doors and adjustable height Dual compressor 2 Nos. of corrosion resistant racks One Pair of Cryogloves One nos. of Ice scraper provided Temperature Chart recorder USB port



Price: ₹295,000.00 Original price was: ₹295,000.00. ₹255,000.00 Current price is: ₹255,000.00.

Stock: instock

Categories: [Biotechnology](#)

Product Description

MAGNETIC STIRRER WITH HOTPLATE 5 PLACES Cat. No: AGN-ISTIR HP5M We

understand that reliability and adequate performance are of the utmost importance when it comes to your multi-station heating magnetic stirrer requirements. But, the market is filled with sub-par quality products. There are obvious downsides of such products like low heating efficiency, no variable timer etc., but then there are less obvious disadvantages as well like a run-of-the-mill software setup which forces you to constantly stand by the side of the device to monitor its performance and input parameters from time to time. Multi-station magnetic stirrers are built to deliver the kind of performance that is promised. Our in-house R&D capabilities from design to extensive performance tests enhance the consistency of results and deliver unmatched performance. The software as well as the hardware of the device is geared towards optimizing your time and efforts by delivering exceptional performance and adequate safety. The exceptional heating efficiency & programmable pulse mode provides explicit commands for marvelous user experience.

Vacuum Pump With Vacuum Gauge & Regulator



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹32,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

Model



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹168,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

Model



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹154,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

Model



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹160,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.