



## FEATURES:

- Less power consumption
- LED Digital Display Temperature Controller
- Highly efficient Longer functional life
- Cleanable & replaceable door magnetic gasket
- Lockable high quality single steel door latch with lock & key
- User friendly design & Easy Setup
- Audio Visual Temperature Alarm for security purpose or power failure

## PRODUCT SPECIFICATIONS: MODEL : AGN-LDF-

**360L** Capacity in liters : 400L Cabinet : Vertical  
Cooling/Refrigerant type : Direct/CFC free  
Interior/Exterior : Exterior made of high-impact, scratch resistant powder coated and Interior SS chamber Castors : Heavy duty lockable Ground clearance : 100mm Compartments/Racks : 4 nos.  
Temp. Range : -10°C to -25°C increment  $\pm 1^\circ\text{C}$  Noise level : 60dB Power Supply : 220/230V at 50Hz **Spares Including:** Power cable and Plug Voltage Stabilizer Instruction Manual Warranty Certificate

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

**PRODUCT DESCRIPTION:** To provide high end range of scientific equipment to the clients, we

sources from the most reliable vendors. The clients can avail our Deep Freezer vertical upright in different customized models and specifications as per requirements.

## Co2 INCUBATOR AGN-200

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Chemistry](#)



## Product Description

### FEATURES

Humidity System 3L stainless-steel pan. Durable triple-wall cabinet construction ensures optimal temperature uniformity. Heated dual pane inner glass door minimizes condensation. CFC-free foam insulated outer door (field- reversible), Magnetic outer door gasket. Chamber Polished stainless-steel interior with coved corners & Stainless-steel shelf. Validatable in-chamber HEPA air filtration system. Readable in 1% increments includes low RH programmable alarm.

Controller

## MICRO VOLUME SPECTROPHOTOMETER NANODROP AGN-3101

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Chemistry](#), [Physics](#)



### Product Description

## FEATURES

- \* OD600 measurement available  $600 \pm 8 \text{ nm}$ .
  - \* Direct, easy to measurements within 5-6 seconds.
  - \* Provided with Inbuilt thermal printer.
  - \* Cuvette port available for cell counting and protein sample detection.
  - \* Software samples including ss DNA, ds DNA, RNA, ds RNA, protein, kinetic cell counting.
  - \* Direct in tube hold be 0.5.
- PRODUCT DETAILS:** Wavelength : 200 to 800 nm  
Wavelength accuracy : 1nm Spectral resolution :  $\leq 3 \text{ nm}$  Display : LED Display Touch Screen  
Absorbance precision : 0.003 Abs Absorbance accuracy : 1% Absorbance range : 0.2-100 A Path  
length : 0.5, 0.2 and 1 nm Data Output : USB Absorbance range : 0-4A Fluorescent sensitivity :  
0.5 pg/ul Fluorescent dynamic range :  $R^2 > 0.995$  Fluorescent repeatability :  $< 1.5\%$

**Accessories** \* One set of quartz cuvette. \* Two thermal print paper rolls. \* Aluminium box. \*

## 110. AGN LR-554

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Chemistry](#)



## Product Description

**DESCRIPTION:** Pharmaceutical Refrigerators offer a complete solution for the most demanding requirements for storage of pharmaceuticals, medicines, vaccines, and other temperature-sensitive applications. Model Number : AGN LR-554 External dimensions (W x D x H) : 900 x 650 x 1824mm Internal dimensions (W x D x H) : 800 x 510 x 1425mm Volume : 554L Net weight : 140 (Kg) **Performance** Temperature control range : +2 to +14°C Cooling System : Hermetic rotary compressor 250Watt. **Control** Controller : Microcomputer Control System Temp. Controller : Fan Forced Air circulation. Display : Digital display (in 1°C, 0.1°C increments)

insulated double glass door with tempered glass) Outer door lock : Y Snelves : X6 (Hard steel wire on polyethylene coating) Max. load - per shelf : 50Kg. Access port : 2 Access port position : Back Access port diameter : 30mm Casters ; 4 Nos. Interior Illumination : LED Light  
**Accessories.** Key : x2. Electrical and Noise Level Power supply : 230V / 50 Hz. Noise level : 42dbA.

## TEST TUBE (Borosilicate Glass) HARD GLASS 10x75mm,3ml (b)


[Read More](#)

**SKU:**

**Price:** ₹2.00

**Stock:** instock

**Categories:** [Chemistry](#)



### Product Description

## TEST TUBE (Borosilicate Glass) HARD GLASS 12x75mm,5ml (d)


[Read More](#)

**SKU:**

**Price:** ₹2.00

**Stock:** instock

**Categories:** [Chemistry](#)



## HARD GLASS 12x100mm,7ml (f)


[Read More](#)

**SKU:**

**Price:** ₹2.50

**Stock:** instock

**Categories:** [Chemistry](#)



### Product Description

## RUBBER TEAT (Red Conical) “AGN Make”

[Read More](#)

**SKU:**


**Price:** ₹3.00

**Stock:** instock

**Categories:** [Chemistry](#)



### Product Description



[Read More](#)

**SKU:**


**Price:** ₹3.00

**Stock:** instock

**Categories:** [Chemistry](#)

## Product Description

### TEST TUBE (Borosilicate Glass) HARD GLASS 15x125mm,10ml (h)



[Read More](#)

**SKU:**


**Price:** ₹3.50

**Stock:** instock

**Categories:** [Chemistry](#)

## Product Description





[Read More](#)

**SKU:**


**Price:** ₹4.00

**Stock:** instock

**Categories:** [Chemistry](#)

## Product Description

### TEST TUBE (Borosilicate Glass) HARD GLASS 18x150mm, 25ml (L)



[Read More](#)

**SKU:**

**Price:** ₹4.50

**Stock:** instock

**Categories:** [Chemistry](#)

## Product Description