



movement and high precision motorized specimen feed, for high throughput histology labs. Powerful sectioning motor enable us to cut even the hard specimen easily. The smartly located feature keypad enables us to control the operation easily. Apart from other safety feature it also has an emergency stop button.

Salient Features

- LCD Display to indicate section
- Alarm to indicate start/end of travel
- Motorized forward and backward at
- Adjustable specimen retraction
- Finger protection guard
- Section Counter
- Motorized sectioning with adjustable speed
- Spacious waste tray

Technical Specification

- Section Thickness Setting Range: 0.5-100µm thickness, travel etc
- Trimming Thickness Setting Range: 1-600µm
- Setting Values: 0.5-5µm increment step 0.5µm two different speeds
- 5µm-20µm increment step 1µm
- 20µm-60µm increment step 5µm
- 60µm-100µm increment step 10µm
- Minimum setting value : 0.5µm
- Sectioning Speed: Adjustable

[Read More](#)

SKU:

Price: ₹750,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

Incorporates a combination of motorized hand wheel movement and high precision motorized specimen feed, for high throughput histology labs. Powerful sectioning motor enable us to cut even the hard specimen easily. The smartly located feature keypad enables us to control the operation easily. Apart from other safety feature it also has an emergency stop button.

Salient Features

- LCD Display to indicate section
- Alarm to indicate start/end of travel
- Motorized forward and backward at
- Adjustable specimen retraction
- Finger protection guard
- Section

Honing Stone in Wooden Box (Superior) 12x3"

[Read More](#)

SKU:

Price: ₹3,000.00

Stock: instock

Categories: [Histopathology](#)



Product Description



[READ MORE](#)

SKU:

Price: ₹120,000.00 Original price was: ₹120,000.00. ₹110,000.00 Current price is: ₹110,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: more than 150 litre bench top model.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of (CRCA) Mild Steel powder coated paint.
- Chrome plated rack, load capacity 10kg.
- 3 nos. easily removable SS 304 trays with adjustable height.
- Automatic Microprocessor programmable PID Digital Temperature controller with timer, alarm & auto tuning.
- Door with glass window fluoroelastomer gasket, heavy brass chrome plated hinges, quick magnetic locking facility and Two adjustable exhaust Air flap.
- Inside Temperature ambient to +5°C to 300°C with accuracy $\pm 0.5^{\circ}\text{C}$, uniformity $\pm 2.0^{\circ}\text{C}$ at 100°C.
- Temperature safety device (DIN 12880) with visual alarm.
- Aero dynamic internal design for achieving horizontal air circulation.
- Automatic cut off of heater & blower and USB Interface.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key**

Features: ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral

[Read More](#)

SKU:

Price: ₹550,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It is the latest knife sharpener designed for more fast and fine sharpening of microtome knives. The knife is sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key Features:** ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral



[Read More](#)

SKU:

Price: ₹850,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

L-moulds (6mm Brass) 25x50x19mm

[Read More](#)

SKU:

Price: ₹550.00

Stock: instock

Categories: [Histopathology](#)



Product Description

[Read More](#)

SKU:

Price: ₹680.00

Stock: instock

Categories: [Histopathology](#)



Product Description

Laboratory Deep Freezer

[Read More](#)

SKU:

Price: ₹350,000.00 Original price was: ₹350,000.00. ₹325,000.00 Current price is: ₹325,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Hospital Furniture](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)



Display - Digital • Capacity: 640 Liters (Approximate) • Defrosting Type: Frost Free (Automatic defrosting facility) • Alarm: Temperature-high/low, door open, power cut, malfunction • ISO & CE certified • Power: 230V, 50/ 60Hz • Warranty: 1 year

Laboratory LDF-360L

FEATURES:

- Less power consumption
- LED Digital Display
- Highly efficient
- Cleanable & re
- Lockable high
- lock & key
- User friendly d
- Audio Visual T
- purpose or pow



PRODUCT SPECIFICATIONS

360L Capacity in liter
Cooling/Refrigerant
Interior/Exterior : Ex
scratch resistant po
chamber Castors : 4
clearance : 100mm
Temp. Range : -10°
level : 60dB Power c

Including: Power c
Instruction Manual

[Read More](#)

SKU:

Price:

Stock: instock

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration Vertical Upright Deep Freezer with CE and FDA certified. These equipments are used for quick freezing and storing of vaccines, ATCC cultures, enzymes, chemicals, biological & medical specimens & blood samples. To manufacture the equipments, we use finest quality materials sources from the most reliable vendors. The clients can avail our Deep Freezer Vertical Upright in different customized models and specifications as per requirements.

LATEST MICROPROCESSOR BASED TISSUE PROCESSOR Capacity 1ltr.



With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

SKU:

Price: ₹470,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

LATEST MICROPROCESSOR BASED TISSUE PROCESSOR Capacity 2ltr.



With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

SKU:

Price: ₹550,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



[Read More](#)

SKU:

Price: ₹550.00

Stock: instock

Categories: [Histopathology](#)



Product Description