



## 1ltr.

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers,36 tissue cassettes

[Read More](#)

**SKU:**

**Price:** ₹900,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers,36 tissue cassettes



Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes

[Read More](#)

**SKU:**

**Price:** ₹950,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes

[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

### Micro Abrasive Suspension For Fine honing operation

[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## TISSUE PROCESSOR Capacity 1ltr.



comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹390,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

### Product Description

comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.



ATP/E/SERIES

comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹450,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹2,200.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

### Microtome Razor with Back & Handle in wooden box. 140mm

[Read More](#)

**SKU:**

**Price:** ₹2,400.00

**Stock:** instock

**Categories:** [Histopathology](#)



**Handle in wooden box. 160mm**

[Read More](#)

**SKU:**

**Price:** ₹3,200.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

### PARAFFIN DISPENSER 10L Capacity

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

**SKU:**

**Price:** ₹140,000.00

**Stock:** instock

**Categories:** [Histopathology](#)





## PARAFFIN DISPENSER 5L Capacity



It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

**SKU:**

**Price:** ₹110,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

### Product Description

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

## PRE WARM



It is used as preheating unit to store tissue which is placed in removable cassette. It is pre-warmed and easy to use. It is pre-warmed to store the set temperature. Volume : 4 Ltr ● Set temperature : 100°C Dimensions (mm) : 400x300x150

[Read More](#)

**SKU:**





# AGN ENTERPRISES

MANUFACTURER & SUPPLIER  
ALL KINDS OF LABORATORY EQUIPMENTS



## Product Description

It is used as preheating unit. It is used to store tissue to store tissue which are being processed. It has a removable cassette bath. Intuitive control panel and easy to use. It is programmable and has memory to store the set temperature. Technical Specifications ● Volume : 4 ltr ● Setting Temperature Range ● Overall Dimensions (mm) : 590x375x435 :