

Categories: [Histopathology](#)



Product Description



TISSUE EMB
Optional Co
Cost)

It has independent through a micropro the tank incorporat continuos flow of pa paraffin from the ta through foot switch and the forceps hold tissues. The unit ha boxes, forceps hold can be controlled th be programmed for OFF. Salient Feature

temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones

[Read More](#)

SKU:

Price: ₹50,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It has independent heating zones that are controlled through a microprocessor. It has a large storage tank, the tank incorporates the filter which ensures continuous flow of paraffin from the tank. The flow of paraffin from the tank can be controlled manually or through foot switch. The heated operation platform and the forceps holder makes it easy to embed the tissues. The unit has a storage tank, preservation boxes, forceps holder, Paraffin nozzle whose Heating can be controlled through microprocessor and it can be programmed for the weekdays for both ON and OFF. Salient Features ● Large paraffin tank suitable for high throughput lab ● Illuminated Work Platform ● Easy to read and operate control panel ● Optional Cold Spot ● Mold warmer and cassette bath ● It is programmable for weekdays and each heating zones temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones



It has independent heating zones that are controlled through a microprocessor. It has a large storage tank, the tank incorporates the filter which ensures continuous flow of paraffin from the tank. The flow of paraffin from the tank can be controlled manually or through foot switch. The heated operation platform and the forceps holder makes it easy to embed the tissues. The unit has a storage tank, preservation boxes, forceps holder, Paraffin nozzle whose Heating can be controlled through microprocessor and it can be programmed for the weekdays for both ON and OFF. Salient Features ● Large paraffin tank suitable for high throughput lab ● Illuminated Work Platform ● Easy to read and operate control panel ● Optional Cold Spot ● Mold warmer and cassette bath ● It is programmable for weekdays and each heating zones temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones

[Read More](#)

SKU:

Price: ₹300,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It has independent heating zones that are controlled through a microprocessor. It has a large storage tank, the tank incorporates the filter which ensures continuous flow of paraffin from the tank. The flow of paraffin from the tank can be controlled manually or through foot switch. The

Platform ● Easy to read and operate control panel ● Optional Cold Spot ● Mold warmer and cassette bath ● It is programmable for weekdays and each heating zones temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones



TISSUE EMBEDDING Supplied With paraffin tank

It has independent control through a microprocessor. The tank incorporates a continuous flow of paraffin from the tank through foot switch and the forceps holder for tissues. The unit has two preservation boxes, forceps holder and work platform. The temperature can be controlled through a digital display. It can be programmed for weekdays and weekends. Salient Features: ● Easy to read and operate control panel ● Optional Cold Spot ● Mold warmer and cassette bath ● It is programmable for weekdays and each heating zones temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones

[Read More](#)

Product Description

It has independent heating zones that are controlled through a microprocessor. It has a large storage tank, the tank incorporates the filter which ensures continuous flow of paraffin from the tank. The flow of paraffin from the tank can be controlled manually or through foot switch. The heated operation platform and the forceps holder makes it easy to embed the tissues. The unit has a storage tank, preservation boxes, forceps holder, Paraffin nozzle whose Heating can be controlled through microprocessor and it can be programmed for the weekdays for both ON and OFF. Salient Features ● Large paraffin tank suitable for high throughput lab ● Illuminated Work Platform ● Easy to read and operate control panel ● Optional Cold Spot ● Mold warmer and cassette bath ● It is programmable for weekdays and each heating zones temperature can be individually set which makes it easy for the user ● Separate heating zones for storage tank, 2 preservation boxes, paraffin nozzle, forceps holder and work platform ● Excess Paraffin collecting tray collects the excess paraffin from different heating zones

TISSUE FLOW

It is microprocessor controlled with a touch keypad with precise temperature control. It maintains the bath temperature. It maintains the set temperature. It maintains the resistance material. Technical Specifications: ambient to 99 Deg C ● Dimensions: 320x320x110 ● Weight: 238x180 ● Power : 1500W power cord.

[Read More](#)

SKU:

Price: ₹39,000.00

Stock: instock



along with the precise temperature control for setting the floatation bath temperature. It has an in-built memory to store the set temperature. The bath is made up of corrosion resistance material to provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 99 Deg C ● Overall Dimensions (mm) : 320x320x110 ● Water Bath Dimensions,inner (mm) : 238x180 ● Power : 200VA Supplied complete with the power cord.

TISSUE FLOTATION BATH (ANALOG)



This circular floatation bath is ideally suited for preparing of distortion less and wrinkle free tissue specimens. It is a double walled unit with inside made up of aluminum and outside MS sheet which is duly painted. Technical Specifications ● Water Temperature Range : ambient to 80 Deg C ● Bath Surface Dia (mm): 245mm ● Bath Volume (Inch) : 10x5 Supplied complete with indicators, cord and plug and a suitable to work on 220/230V-AC Supply

[Read More](#)

SKU:

Price: ₹13,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

This circular floatation bath is ideally suited for preparing of distortion less and wrinkle free tissue specimens. It is a double walled unit with inside made up of aluminum and outside MS sheet which is duly painted. Technical Specifications ● Water Temperature Range : ambient to 80 Deg C ● Bath Surface Dia (mm): 245mm ● Bath Volume (Inch) : 10x5 Supplied complete with indicators, cord and plug and a suitable to work on 220/230V-AC Supply



is microprocessor controlled, incorporates a feather touch keyboard with a LCD display for setting up temperature of water bath and the hot plates. The temperature is controlled with the help of precise temperature controller. It also has a built in memory to store the set temperature. The water bath is made up of corrosion material which provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 100 Deg C ● Integrated Hot Plates: Yes ● Water Bath Dimensions,inner (mm) : 258x193x64 ● Hot Plate Dimensions (mm): 110x70,140x70 ● Integrated LED for Bath illumination: Yes ● Overall Dimensions (mm): 370x440x140

[Read More](#)

SKU:

Price: ₹55,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

is microprocessor controlled, incorporates a feather touch keyboard with a LCD display for setting up temperature of water bath and the hot plates. The temperature is controlled with the help of precise temperature controller. It also has a built in memory to store the set temperature. The water bath is made up of corrosion material which provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 100 Deg C ● Integrated Hot Plates: Yes ● Water Bath Dimensions,inner (mm) : 258x193x64 ● Hot Plate Dimensions (mm): 110x70,140x70 ● Integrated LED for Bath illumination: Yes ● Overall Dimensions (mm): 370x440x140



thermostatically controlled wax bath and two one litre beakers.

[Read More](#)

SKU:

Price: ₹45,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It is suitable for use in small laboratories. It has a sturdy stand and is supplied complete with thermostatically controlled wax bath and two one litre beakers.

WAX TRIMMER

Is used to remove the excess wax from the embedding cassettes by scraping it over a grooved and heated surface prior to sectioning and has an waste tray attached to collect the excess wax .

[Read More](#)

SKU:

Price: ₹64,000.00

Stock: instock

Categories: [Histopathology](#)



Product Description

Is used to remove the excess wax from the embedding cassettes by scraping it over a grooved and heated surface prior to sectioning and has an waste tray attached to collect the excess wax .