



Designed For Initial Rough Grinding of Specimens/metals. Works on 220V in Single Phase. Manual Belt -100/915mm Endless Belt Pulleys, Balanced Pulleys & Polishing Motor Power ½ HP

[Read More](#)

SKU:

Price: ₹40,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Designed For Initial Rough Grinding of Specimens/metals. Works on 220V in Single Phase. Manual Belt -100/915mm Endless Belt Pulleys, Balanced Pulleys & Polishing Motor Power ½ HP

Price: ₹5,000.00

Stock: instock

Categories: [Metallurgy](#)



Product Description

ETCHING AGENT (500ml)

[Read More](#)

SKU:

Price: ₹1,200.00

Stock: instock

Categories: [Metallurgy](#)



APPARATUS “AGN Make”



Determines Hardenability of Steel. Muffle Furnace can be purchased extra for the complete Experiment.

[Read More](#)

SKU:

Price: ₹44,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Determines Hardenability of Steel. Muffle Furnace can be purchased extra for the complete Experiment.

METALLURGICAL MICROSCOPE “AGN Make Inverted Binocular Metallurgical Microscope



Fixed Stage 120x130mm with Detachable Mechanical Stage. Smooth Lever type Fine Motion Focusing, Quadruple Revolving Turret Nose Piece with Click Stops. Achromatic Objectives M 10x & M 40x. Eyepiece WF 10x. Incident Light through 20 W Halogen Lamp with iris Diaphragm & Filter Slots.

[Read More](#)

SKU:

Price: ₹44,000.00

Stock: instock

Categories: [Metallurgy](#)

Filter Slots.

METALLURGICAL MICROSCOPE “AGN Make” Binocular



Fixed Stage 120x130mm with Detachable Mechanical Stage. Smooth Lever type Fine Motion Focusing, Quadruple Revolving Turret Nose Piece with Click Stops. Achromatic Objectives M 10x & M 40x. Eyepiece WF 10x. Incident Light through 20 W Halogen Lamp with iris Diaphragm & Filter Slots.

[Read More](#)

SKU:

Price: ₹18,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Fixed Stage 120x130mm with Detachable Mechanical Stage. Smooth Lever type Fine Motion Focusing, Quadruple Revolving Turret Nose Piece with Click Stops. Achromatic Objectives M 10x & M 40x. Eyepiece WF 10x. Incident Light through 20 W Halogen Lamp with iris Diaphragm & Filter Slots.



FIXED Stage 120x130mm with Detachable Mechanical Stage. Smooth Lever type Fine Motion Focusing, Quadruple Revolving Turret Nose Piece with Click Stops. Achromatic Objectives M 10x & M 40x. Eyepiece WF 10x. Incident Light through 20 W Halogen Lamp with iris Diaphragm & Filter Slots.

[Read More](#)

SKU:

Price: ₹20,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Fixed Stage 120x130mm with Detachable Mechanical Stage. Smooth Lever type Fine Motion Focusing, Quadruple Revolving Turret Nose Piece with Click Stops. Achromatic Objectives M 10x & M 40x. Eyepiece WF 10x. Incident Light through 20 W Halogen Lamp with iris Diaphragm & Filter Slots.



POLISHING Metallurgical Disc (Two s Variable Spe

Used for Rough & F
Specimen is held ag
a polishing cloth im
media such as silico
polishing gives the
finish. The disc con
on steel spindle.The
ball bearing. The di



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



TO 1500 RPM. WORKS ON 220V SINGLE PHASE AC SUPPLY.

[Read More](#)

SKU:

Price: ₹49,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Used for Rough & Fine Polishing of Specimens. The Specimen is held against a rotating flat disk, on which a polishing cloth impregnated with suitable polishing media such as silicon carbide powder is stretched. Disc polishing gives the specimen scratch free mirror like finish. The disc consists of 20cm balance disc mounted on steel spindle. The spindle is located on heavy duty ball bearing. The disc is easily removable for quick changing of polishing cloth or paper, which is fastened on the disk by means of a spring or rubber gridle on the rim of disc. Around the disc is a S.S drain jacket fitted with drain tube. Continuously variable Speed 300 to 1500 RPM. Works on 220V Single Phase AC Supply.



Used for Rough & Fine Polishing of Specimens. The Specimen is held against a rotating flat disk, on which a polishing cloth impregnated with suitable polishing media such as silicon carbide powder is stretched. Disc polishing gives the specimen scratch free mirror like finish. The disc consists of 20cm balance disc mounted on steel spindle. The spindle is located on heavy duty ball bearing. The disc is easily removable for quick changing of polishing cloth or paper, which is fastened on the disk by means of a spring or rubber gridle on the rim of disc. Around the disc is a S.S drain jacket fitted with drain tube. Continuously variable Speed 300 to 1500 RPM. Works on 220V Single Phase AC Supply.

[Read More](#)

SKU:

Price: ₹36,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Used for Rough & Fine Polishing of Specimens. The Specimen is held against a rotating flat disk, on which a polishing cloth impregnated with suitable polishing media such as silicon carbide powder is stretched. Disc polishing gives the specimen scratch free mirror like finish. The disc consists of 20cm balance disc mounted on steel spindle. The spindle is located on heavy duty ball bearing. The disc is easily removable for quick changing of polishing cloth or paper, which is fastened on the disk by means of a spring or rubber gridle on the rim of disc. Around the disc is a S.S drain jacket fitted with drain tube. Continuously variable Speed 300 to 1500 RPM. Works on 220V Single Phase AC Supply.



Rotatable 360 deg with 2 min Vernier Resolution.
Magnification: 10x, Work Stage: 350x200mm. Focusing
Range 100mm, Measuring with 25mm Micrometer.
Stage Travel X-Y : 150x100mm. Halogen Light
Illumination Provided.

[Read More](#)

SKU:

Price: ₹49,000.00

Stock: instock

Categories: [Metallurgy](#)

Product Description

Rotatable 360 deg with 2 min Vernier Resolution. Magnification: 10x, Work Stage: 350x200mm.
Focusing Range 100mm, Measuring with 25mm Micrometer. Stage Travel X-Y : 150x100mm.
Halogen Light Illumination Provided.

PROFILE PROJECTOR “AGN Make” 300mm Dia Screen

Rotatable 360 deg with 2 min Vernier Resolution.
Magnification: 10x, Work Stage: 350x200mm. Focusing
Range 100mm, Measuring with 25mm Micrometer.
Stage Travel X-Y : 150x100mm. Halogen Light
Illumination Provided.

[Read More](#)

SKU:

Price: ₹96,000.00

Stock: instock

Categories: [Metallurgy](#)



SPECIMEN CUT OFF MACHINE

[Read More](#)

SKU:

Price: ₹40,000.00

Stock: instock

Categories: [Metallurgy](#)



Product Description