



**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Laboratory Equipments](#), [Pathology](#), [Physics](#)

## Product Description

**Salient Features:** \* P Type thermocouple for long term stability. \* The light gauge overband heating elements is embedded. \* The equipment is thermal Insulation Material. \* Horizontal side swing door. \* 1" diameter at the top of the unit and air inlet of 0.375" diameter. \* This equipment is safety door switch will interupted power to heating element door is opened. \* The fast heating System room temp. to 1200°C in 45min. \* 300 min for the chamber cool down from 1200°C to 200°C. \* Average Temp. on the outer housing 41°C the ambient is at 23°C ambient. \* Programs patterns can be based either time on rate. \* LCD display trend recording function , graphic prompts, configurable display data. **Product Specification:** Working Temperature Range : 1200°C Chamber Size : 55L Interior Dimension : 15" x 15" x 15" Exterior Dimension : 28" x 29" x 33" Uniformity :  $\pm 2.0^{\circ}\text{C}$  Ambient Temp. : 23°C Exterior Body Material : Powder Coated old rolled steel Programs : 5 Programs up to 16 Segments for ramp (up and down) Program Steps : 999times Display : Large 5 digit LED Display. Over Temp. Protection Facility : YES Power Supply : 240V, 50Hz. Warranty : 1 Year



## FEATURES:

- Less power consumption
- LED Digital Display Temperature Controller
- Highly efficient Longer functional life
- Cleanable & replaceable door magnetic gasket
- Lockable high quality single steel door latch with lock & key
- User friendly design & Easy Setup
- Audio Visual Temperature Alarm for security purpose or power failure

## PRODUCT SPECIFICATIONS: MODEL : AGN-LDF-

**360L** Capacity in liters : 400L Cabinet : Vertical  
Cooling/Refrigerant type : Direct/CFC free  
Interior/Exterior : Exterior made of high-impact, scratch resistant powder coated and Interior SS chamber  
Castors : Heavy duty lockable Ground clearance : 100mm Compartments/Racks : 4 nos.  
Temp. Range : -10°C to -25°C increment  $\pm 1^\circ\text{C}$  Noise level : 60dB Power Supply : 220/230V at 50Hz **Spares Including:** Power cable and Plug Voltage Stabilizer Instruction Manual Warranty Certificate

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

**PRODUCT DESCRIPTION:** To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration

in different customized models and specifications as per requirements.

## Hot Air Oven AGN-101H

[Read More](#)

**SKU:**

**Price:** ~~₹315,000.00~~ Original price was: ₹315,000.00. ₹280,000.00 Current price is: ₹280,000.00.

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)



### Product Description

- Capacity: more than 300 liters.
- Double wall SS304 with glass wool insulation.
- Solid and plain bottom without electricals.
- Interior made out of polished Stainless Steel sheet 304 grade.
- Exterior made out of Stainless steel sheet 304 grade.
- Easily removable SS 304 trays with adjustable height in 25mm.
- Microprocessor based PID Digital Temperature controller LED display shows temperature & time.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility.
- Inside Temperature ambient to +50°C to 250°C with accuracy  $\pm 2^{\circ}\text{C}$ .
- PT100 temperature sensor.
- Audio Visual Temperature for over/undershoot temperature, door opening and security purpose.
- Forced air circulation fan for uniform temperature.
- SS tubular heater.
- Automatic daily data backup.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[Read More](#)

**SKU:**

**Price:** ₹115,000.00 Original price was: ₹115,000.00. ₹105,000.00 Current price is: ₹105,000.00.

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

- Capacity: 150 litre.
- Glass wool insulation.
- External Dimension: 710x651x870mm.
- Internal Dimension: 600x500x500mm.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of cold rolled steel plate with melamine resin baking finish.
- Shelf plate with standard load approx. 15kgs/piece
- Easily removable SS 304 trays with adjustable height.
- Microprocessor PID Digital 3 patterns Temperature controller LCD/LED display.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility and Scirocco fan.
- Inside Temperature ambient to +10°C to 250°C with accuracy  $\pm 2.5^{\circ}\text{C}$ , temp control  $+1^{\circ}\text{C}$ .
- Safety counter measures: self diagnosis functions (temp sensor abnormal, heater disconnection, SSR-short Automatic overheating prevention).
- Key lock function, over heat prevention, electrical leakage breaker with over current protection. SS heater 1.34KW and 30W blower motor fan.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[READ MORE](#)

**SKU:**

**Price:** ₹120,000.00 Original price was: ₹120,000.00. ₹110,000.00 Current price is: ₹110,000.00.

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

- Capacity: more than 150 litre bench top model.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of (CRCA) Mild Steel powder coated paint.
- Chrome plated rack, load capacity 10kg.
- 3 nos. easily removable SS 304 trays with adjustable height.
- Automatic Microprocessor programmable PID Digital Temperature controller with timer, alarm & auto tuning.
- Door with glass window fluoroelastomer gasket, heavy brass chrome plated hinges, quick magnetic locking facility and Two adjustable exhaust Air flap.
- Inside Temperature ambient to +5°C to 300°C with accuracy  $\pm 0.5^{\circ}\text{C}$ , uniformity  $\pm 2.0^{\circ}\text{C}$  at 100°C.
- Temperature safety device (DIN 12880) with visual alarm.
- Aero dynamic internal design for achieving horizontal air circulation.
- Automatic cut off of heater & blower and USB Interface.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.





**Price:** ₹350,000.00 Original price was: ₹350,000.00. ₹325,000.00 Current price is: ₹325,000.00.

**Stock:** instock

**Categories:** [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Hospital Furniture](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

**FROST FREE DEEP FREEZER (AGN-DF-720L-30C)** *Technical Specifications* • Refrigerator Type: Upright freezer with shelves • Temperature: -20° C or better • Microprocessor controller • Display – Digital • Capacity: 640 Liters (Approximate) • Defrosting Type: Frost Free (Automatic defrosting facility) • Alarm: Temperature-high/low, door open, power cut, malfunction • ISO & CE certified • Power: 230V, 50/ 60Hz • Warranty: 1 year



**Price:** ₹1,425,000.00 Original price was:  
₹1,425,000.00. ₹1,290,000.00 Current price is:  
₹1,290,000.00.

**Stock:** instock

**Categories:** [Biotechnology](#), [Histopathology](#),  
[Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

## Product Description

**PRODUCT DESCRIPTION:** To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration Vertical Upright Deep Freezer with CE and FDA certified. These equipments are used for quick freezing and storing of vaccines, biological & medical specimens & blood samples. To manufacture the equipments, we use finest quality materials sourced from the most reliable vendors. The clients can avail our Deep Freezer Vertical Upright in different customized models and specifications as per requirements.

**TECHNICAL SPECIFICATIONS:** MODEL : AGN-ULDF-800L Capacity in liters : 800L Cabinet : Vertical Interior : High grade Stainless Steel Exterior : High-impact, cold rolled scratch resistant powder coated Compartments : 4 nos. Noise Level : <50dB Refrigerant : CFC & HCFC free Temp. Range : -40°C to -80°C  $\pm 1^\circ$  increment Power Supply : 220-250V at 50Hz Unit Warranty : 3 Years Compressor Warranty : 5 Years

**SALIENT FEATURES:** ♦ User friendly design, Easy Setup & Highly efficient Longer functional life ♦ Less power consumption <15kw/day ♦ Vacuum relief port and Front panel filter ♦ Touch Screen Eye level Microprocessor Digital Display Temperature Controller ♦ Fast refrigerant recovery -70°C reach within 30 minutes at 1 minute door opening ♦ Battery Backup system and USB port access ♦ Record facility for door opening/closing ♦ Lockable high quality door magnetic latch, padlock capability with lock & key ♦ Inbuilt 4-20mA, RS485 Dry Contacts for remote monitoring. ♦ Audio Visual Alarm for High/low Temperature, battery low, and power failure etc.



[Read More](#)

**SKU:**

**Price:** ₹230,000.00

**Stock:** instock

**Categories:** [Pathology](#)

## Product Description

## URINOMETER

[Read More](#)

**SKU:**

**Price:** ₹30.00

**Stock:** instock

**Categories:** [Pathology](#)



## Product Description



**Price:** ₹180.00

**Stock:** instock

**Categories:** [Pathology](#)



## Product Description

### TOURNIQUET BELT

[Read More](#)

**SKU:**

**Price:** ₹20.00

**Stock:** instock

**Categories:** [Pathology](#)





# AGN ENTERPRISES

MANUFACTURER & SUPPLIER  
ALL KINDS OF LABORATORY EQUIPMENTS



[Read More](#)

**SKU:**

**Price:** ₹9,000.00

**Stock:** instock

**Categories:** [Pathology](#)



## Product Description

---