



**SKU:**

**Price:** ₹2,800.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

**DIFFRACTION GRATING (Hilger & Watt Type) 15000 Lines per inch, (600Lines/mm) (Routine Quality)**

[Read More](#)

**SKU:**

**Price:** ₹200.00

**Stock:** instock

**Categories:** [Physics](#)



## Product Description

## Quality)

[Read More](#)



**SKU:**

**Price:** ₹990.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

### DIFFRACTION GRATING (Hilger & Watt Type) 25000 Lines per inch, (1000Lines/mm) (Superior Quality)

[Read More](#)



**SKU:**

**Price:** ₹990.00

**Stock:** instock

**Categories:** [Physics](#)

## Watt Type) GRATING HOLDER WITH ROD

[Read More](#)

**SKU:**

**Price:** ₹300.00

**Stock:** instock

**Categories:** [Physics](#)



### Product Description

One)

[Read More](#)



**SKU:**

**Price:** ₹990.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

## DIGITAL AC AMMETER, 3.5 Digit LCD

[Read More](#)

**SKU:**

**Price:** ₹1,100.00

**Stock:** instock

**Categories:** [Physics](#)



## Product Description



[Read More](#)

**SKU:**

**Price:** ₹1,100.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

## DIGITAL DC AMMETER, 3.5 Digit LCD



[Read More](#)

**SKU:**

**Price:** ₹1,000.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

## DIGITAL DC VOLTMETER, 3.5 Digit LCD



[Read More](#)

**SKU:**

**Price:** ₹1,000.00

**Stock:** instock

**Categories:** [Physics](#)

## Product Description



the principle of the Hall Effect in semiconductors. When a semiconductor with current flowing in one direction is introduced perpendicular to a magnetic field a voltage is produced at right angles to the current path. The magnitude of this voltage is proportional to the intensity of the magnetic field. This voltage is called Hall Voltage. This Hall voltage is amplified and calibrated as the magnetic field. **Specification :** Digital display : 3 ½ digit & segment LED DPM Transducer : Hall probe Special features : Indication of direction of the magnetic field Range : 0 -2KG & 0-20KG Resolution : 1G at 0.2 KG range Accuracy :  $\pm 5\%$  Main Power supply : 220V AC  $\pm 10\%$  , 50Hz

[Read More](#)

**SKU:**


**Price:**

**Stock:** instock

**Categories:** [Physics](#)

## Product Description

## Digital Oscilloscope



### FEATURES & BENEFITS

Bandwidths 1GSa/s  
mode: Edge, Pulse  
Alternative trigger  
time analysis **EASE**  
functions, +, -, \*, /,  
measurements and



# AGN ENTERPRISES

MANUFACTURER & SUPPLIER  
ALL KINDS OF LABORATORY EQUIPMENTS



Waveform Capture Rate : 30,000 wfms/s Vertical  
Resolution : 8 bits Vertical Scale : 1 mV/div to 10 V/div  
Bandwidth : 200 MHZ Analog Channels : 2 Real Time  
Sampling : 1 Gsa/sec Time base Scale : 2 ns/div to 50  
s/div Display : 7-inch WVGA (800x480) TFT LCD  
Connectivity : USB Host

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Physics](#)

## Product Description