

[Read More](#)

**SKU:**


**Price:** ₹1,000.00

**Stock:** instock

**Categories:** [Quartz Glassware](#)

## Product Description

## BEAKER LOW FORM WITH SPOUT 25ml



[Read More](#)

**SKU:**

**Price:** ₹740.00

**Stock:** instock

**Categories:** [Quartz Glassware](#)

## Product Description

## PARAFFIN D Capacity



It has a memory function for the feather touch keypad, easy to use. The no. of control so that the temperature range is

[Read More](#)

**SKU:**

## Product Description

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

## PARAFFIN DISPENSER 5L Capacity



It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

**SKU:**

**Price:** ₹110,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.



is microprocessor controlled, incorporates a feather touch keyboard with a LCD display for setting up temperature of water bath and the hot plates. The temperature is controlled with the help of precise temperature controller. It also has a built in memory to store the set temperature. The water bath is made up of corrosion material which provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 100 Deg C ● Integrated Hot Plates: Yes ● Water Bath Dimensions, inner (mm) : 258x193x64 ● Hot Plate Dimensions (mm): 110x70, 140x70 ● Integrated LED for Bath illumination: Yes ● Overall Dimensions (mm): 370x440x140

[Read More](#)

**SKU:**

**Price:** ₹55,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

is microprocessor controlled, incorporates a feather touch keyboard with a LCD display for setting up temperature of water bath and the hot plates. The temperature is controlled with the help of precise temperature controller. It also has a built in memory to store the set temperature. The water bath is made up of corrosion material which provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 100 Deg C ● Integrated Hot Plates: Yes ● Water Bath Dimensions, inner (mm) : 258x193x64 ● Hot Plate Dimensions (mm): 110x70, 140x70 ● Integrated LED for Bath illumination: Yes ● Overall Dimensions (mm): 370x440x140



wax so as to provide flattening without any damage to the section. The top plate is securely mounted on a insulated metal base. Technical Specifications ● Temperature Range : ambient to 90 Degree ● Hot Plate Dimensions (Inch) : 12x10 Supplied complete with cord and plug and is suitable to work on 220/230V-AC Supply

[Read More](#)

**SKU:**

**Price:** ₹39,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

is microprocessor controlled, It incorporates a feather touch keypad with 7 segment display along with the precise temperature control for setting the hot plate temperature. It has an inbuilt memory to store the set temperature. The corrosion resistance material provides the required durability. Technical Specifications ● Temperature Range: ambient to 99 Deg C ● Overall Dimensions (mm) : 320x320x110 ● Plate Dimensions (mm) : 340 x 225 ● Power : 200VA Supplied complete with the power cord.

## SLIDE WARMER

It is rectangular in shape, It provides uniform temperature across the top plate wax so as to provide flattening without any damage to the section. The top plate is securely mounted on a insulated metal base. Technical Specifications ● Temperature Range: ambient to 99 Deg C ● Plate Dimensions (mm) : 340 x 225 ● Power : 200VA Supplied complete with the power cord.



**Categories:** [Histopathology](#)

## Product Description

It is rectangular in shape and used to heat slides at a uniform temperature just below the melting point of wax so as to provide flattening without any damage to the section. The top plate is securely mounted on a insulated metal base. Technical Specifications ● Temperature Range : ambient to 90 Degree ● Hot Plate Dimensions (Inch) : 12x10 Supplied complete with cord and plug and is suitable to work on 220/230V-AC Supply

## TISSUE FLOTATION BATH



It is microprocessor controlled, incorporates a feather touch keypad with 7 segment display along with the precise temperature control for setting the floatation bath temperature. It has an in-built memory to store the set temperature. The bath is made up of corrosion resistance material to provides the required durability. Technical Specifications ● Water Temperature Range: ambient to 99 Deg C ● Overall Dimensions (mm) : 320x320x110 ● Water Bath Dimensions,inner (mm) : 238x180 ● Power : 200VA Supplied complete with the power cord.

[Read More](#)

**SKU:**

**Price:** ₹39,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is microprocessor controlled, incorporates a feather touch keypad with 7 segment display along with the precise temperature control for setting the floatation bath temperature. It has an in-built memory to store the set temperature. The bath is made up of corrosion resistance

## TISSUE FLOTATION BATH (ANALOG)



This circular floatation bath is ideally suited for preparing of distortion less and wrinkle free tissue specimens. It is a double walled unit with inside made up of aluminum and outside MS sheet which is duly painted. Technical Specifications ● Water Temperature Range : ambient to 80 Deg C ● Bath Surface Dia (mm): 245mm ● Bath Volume (Inch) : 10x5 Supplied complete with indicators, cord and plug and a suitable to work on 220/230V-AC Supply

[Read More](#)

**SKU:**

**Price:** ₹13,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

### Product Description

This circular floatation bath is ideally suited for preparing of distortion less and wrinkle free tissue specimens. It is a double walled unit with inside made up of aluminum and outside MS sheet which is duly painted. Technical Specifications ● Water Temperature Range : ambient to 80 Deg C ● Bath Surface Dia (mm): 245mm ● Bath Volume (Inch) : 10x5 Supplied complete with indicators, cord and plug and a suitable to work on 220/230V-AC Supply



6mm, 24 x 24 x 6mm, 30 x 24 x 6mm, 37 x 24 x 6mm

[Read More](#)

**SKU:**

**Price:** ₹130.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

Makes preparation of tissue moulds very easy and are available in following sizes: 7 x 7 x 6mm, 15 x 15 x 6mm, 24 x 24 x 6mm, 30 x 24 x 6mm, 37 x 24 x 6mm

## EMBEDDING RINGS

Are made of plastic and is compatible with all moulds

[Read More](#)

**SKU:**

**Price:** ₹6.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

Are made of plastic and is compatible with all moulds





**SKU:**

**Price:** ₹7.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

Are available in different colors.Size: 40x27x7mm