



It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹270,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.



It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹214,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

## TISSUE PRO

It is suitable for use on a sturdy stand and is thermostatically controlled for reagent beakers.

[Read More](#)

**SKU:**

**Price:** ₹45,000.00



It is suitable for use in small laboratories. It has a sturdy stand and is supplied complete with thermostatically controlled wax bath and two one litre beakers.

## Micro Abrasive Suspension For Fine honing operation

[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

## KNIFE SHARPENER with microprocessor control digital

[Read More](#)

**SKU:**

**Price:** ₹850,000.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description



sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key**

**Features:** ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral

[Read More](#)

**SKU:**

**Price:** ₹550,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is the latest knife sharpener designed for more fast and fine sharpening of microtome knives. The knife is sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key Features:** ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral



A precise automatic microtome knife sharpening equipment for sharpening of all microtome knives upto 185mm in length and equipped with automatic timer to adjust sharpening time. It comes with Universal Knife holder block, redressing pad, honing plates, honing class compound (250 ml bottle) Price without micro abrasive.

[Read More](#)

**SKU:**

**Price:** ₹57,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

A precise automatic microtome knife sharpening equipment for sharpening of all microtome knives upto 185mm in length and equipped with automatic timer to adjust sharpening time. It comes with Universal Knife holder block, redressing pad, honing plates, honing class compound (250 ml bottle) Price without micro abrasive.

## FULLY AUTOMATIC CRYOSTAT MICROTOME



freezing and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which

[Read More](#)

**SKU:**

**Price:** ₹1,050,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## SEMI AUTO MICROTOM



It incorporates an oil  
compressor) with ra  
precise orientation  
histology, proenviro  
refrigeration mode,  
which displays data  
thickness and temp  
programmed for bo  
control panel with c  
UV is used for disin  
drainage system th  
and defrost fluids in  
Programmable On/O  
automatic and man  
function protects th  
Trimming/Sectionin  
the desired mode ●  
desired temperatur  
LCD screen **Techni**  
Thickness Range:1μ  
increment 10μm-20  
60μm, in 5μm incre  
300μm in 10μm ● S  
5μm ● Lowest Tem  
Downtime to -30°C  
Size 35mm x 35mm  
65mm ● Specimen  
complete as above  
assembly suitable f  
sample pack of disp



Categories: [Histopathology](#)

## Product Description

It incorporates an optimized cooling system (double compressor) with rapid specimen freezing and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which displays data such as sample travel, section thickness and temperature. It can be easily programmed for both start and stop. Easy to operate control panel with controls for temperature and time. UV is used for disinfection. Equipped with a closed drainage system that ensures collection of condensed and defrost fluids in a container. **Salient Features** ● Programmable On/Off ● Double Compressor ● Both automatic and manual Defrost ● Specimen retraction function protects the specimen from blade injury ● Trimming/Sectioning button makes it easy to switch to the desired mode ● Rapid Refrigeration Mode allows desired temperature drop in 60mins ● Easy to read LCD screen **Technical Specifications** ● Section Thickness Range: 1µm-60µm 1µm-10µm, in 1µm increment 10µm-20µm, in 2µm increments 20µm-60µm, in 5µm increments ● Trimming Range-10µm-300µm in 10µm ● Specimen Retraction : 5-75µm in 5µm ● Lowest Temp. of Peltier Unit : -50°C ● Cooling Downtime to -30°C : 60 mins. ● Maximum Specimen Size 35mm x 35mm ● Specimen Vertical Stroke : 65mm ● Specimen Horizontal Feed : 25mm Supplied complete as above with disposable blade holder assembly suitable for low & high profile blades & sample pack of disposable blades

---





It has LCD display which displays the set parameters and it has motorized coarse feed and the section thickness can be set with the help of knob. It has sealed compressor to ensure proper cooling and accurate temperature control to ensure trouble free operation. User can easily set the section thickness with the section thickness knob. Electrically heated window to prevent frost formation. Equipped with a closed drainage system to ensure collection of condensed and defrost fluids in container. **Salient**

**Features** ● Motorized forward and backward. ● Alarm to indicate the end of travel. ● Easy to read LCD display. ● Large Stainless Steel chamber provides adequate storage facility. **Technical Specifications:**

● Section thickness: 1-30μm in 1μm steps ● Section size 40x50mm ● Temperature range : up to -40° C ● Specimen Vertical stroke : 60mm ● Specimen Horizontal Stroke: 20mm Supplied complete with knife holder, razor 120mm long with back handle, dust cover & operational manual

[Read More](#)

**SKU:**

**Price:** ₹630,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It has LCD display which displays the set parameters and it has motorized coarse feed and the section thickness can be set with the help of knob. It has sealed compressor to ensure proper cooling and accurate temperature control to ensure trouble free operation. User can easily set the section thickness with the section thickness knob. Electrically heated window to prevent frost formation. Equipped with a closed drainage system to ensure collection of condensed and defrost fluids in container. **Salient Features** ● Motorized forward and backward. ● Alarm to

120mm long with back handle, dust cover & operational manual

## TISSUE CUP (S.S) EMBEDDING CUP Large

[Read More](#)

**SKU:**

**Price:** ₹150.00

**Stock:** instock

**Categories:** [Histopathology](#)



### Product Description