



## 1ltr.

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes

[Read More](#)

**SKU:**

**Price:** ₹900,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes



With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹550,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.



ATP/EP/SERIES

With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹470,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

With large graphical LCD display and membrane keypad which makes it user friendly. It has a programmable memory upto 9 programs and with advance safety device. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Programable memory : 9 programs Infiltration Time of each Station : 1min to 99hrs 59mins Delay Start : upto 9days Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.



comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹450,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.



comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹390,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

comes with a membrane keypad and LCD display for programming the timing sequence & temperature setting. Technical Specification Number of stations 12 Reagent Stations 10 Paraffin Wax Bath(Station) 2 Delay Start : upto 99hrs Infiltration Time of each Station : 1min to 16hrs 39mins Safety Device : Yes Supplied complete as above with 10 reagent beakers, 2 wax bath, 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.



It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹270,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.





It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

[Read More](#)

**SKU:**

**Price:** ₹214,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes ,1 S.S. Basket, dust cover and operational manual.

## TISSUE PRO

It is suitable for use on a sturdy stand and is thermostatically controlled for reagent beakers.

[Read More](#)

**SKU:**

**Price:** ₹45,000.00



It is suitable for use in small laboratories. It has a sturdy stand and is supplied complete with thermostatically controlled wax bath and two one litre beakers.

## Micro Abrasive Suspension For Fine honing operation

[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description



[Read More](#)

**SKU:**

**Price:** ₹3,600.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description

## KNIFE SHARPENER with microprocessor control digital

[Read More](#)

**SKU:**

**Price:** ₹850,000.00

**Stock:** instock

**Categories:** [Histopathology](#)



## Product Description



sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key**

**Features:** ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral

[Read More](#)

**SKU:**

**Price:** ₹550,000.00

**Stock:** instock

**Categories:** [Histopathology](#)

## Product Description

It is the latest knife sharpener designed for more fast and fine sharpening of microtome knives. The knife is sharpened on a rotary glass plate with universal knife holder. The device makes use of dual center less grinding technique for uniform grinding and complete instrument is covered with plexiglass dust cover for safe, dust proof operations. The instrument has a special timer to set the sharpening time. **Key Features:** ● Multi purpose Knife Holder ● Automatic Disc Leveling ● Buffer Adjusting Mechanism for turning knife ● Convenient Loading and Unloading for knife slicing **Technical Specifications:** ● Knife Length : 110-250mm ● Thickness : Less than 13 mm ● Grinding Angle : 22 - 45° (half angle 11 - 22.5°) ● Timing Range : 1 - 60 min ● Noise : 60 dB ● Interval Turnover of Knife : 5,10,25 s and unilateral