ALL KINDS OF LABORATORY EQUIPMENTS















Model No. S 2.0 ltr/hr, C Consumption Rating 1.5 I

Ш

Water stills are care purity pyrogen free made from 3.3 exp horizontal type boil device, silica sheat stand and clamps.

- Borosilicate co removable silie threaded conn
- Distillate temp 45°C which is
- The stand is pe and lustrous
- The unit auton in the boiler fa
- Cooling water into the boiling
- Drain nozzle/T cleaning and r
- Electrical Power Phase

Unique Feature: This model is equ of water failure of

Read More



categories: water sumpostmation on

Product Description

Water stills are carefully designed to produce high purity pyrogen free distilled water. The water still made from 3.3 exp. borosilicate glass comprises of horizontal type boiler, condenser, constant level device, silica sheathed (Quartz) heater, along with stand and clamps. Features:

- Borosilicate condenser and boiler are •tted with a removable silica sheathed heater and screw threaded connectors for ease of Cleaning.
- Distillate temperature is approx. between 25° to 45°C which is ensured by an of cient
- The stand is powder coated for rust free operation and lustrous
- The unit automatically switches off if water level in the boiler falls below heater.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving
- Drain nozzle/Te on Stop Cork is provided for easy cleaning and maintenance.
- Electrical Power: 220/240 V, 50/60Hz, Single Phase

Unique Feature:

This model is equipped with in-built water level sensor to protect the Glass parts in cas of water failure or overheating and buzzer is provided when user attention is required



INCUBATOR BACTERIOLOGICAL Inner Chamber Stainless Steel 24"x24"x24" 224Ltr

Read More

SKU:

Price: ₹30,000.00

Stock: instock

Categories: Pharmacy









Chamber Stainless Steel 24"x24"x24" 224Ltr

Double walled, Outer chamber made of M.S. Powder Coated. Temp. upto 250deg C. Thermostatic controlled, Heating Element on three sides. Thermometer is provided on top. The scale is calibrated in 5 deg C Steps

Read More

SKU:

Price: ₹30,000.00

Stock: instock

Categories: Pharmacy

Product Description

Double walled, Outer chamber made of M.S. Powder Coated. Temp. upto 250deg C. Thermostatic controlled, Heating Element on three sides. Thermometer is provided on top. The scale is calibrated in 5 deg C Steps













Automatic Electrically Heated All Glass Distillation Unit, NPL Design, Heater Embedded In Spiral Glass Tube Complete With Heavy Base, Rod, Clamps, Boards Etc. Read More

SKU:


Price: ₹30,000.00

Stock: instock

Categories: Pharmacy

Product Description

Automatic Electrically Heated All Glass Distillation Unit, NPL Design, Heater Embedded In Spiral Glass Tube Complete With Heavy Base, Rod, Clamps, Boards Etc.



OPTICAL BENCH HEAVY (Full Shapered) "AGN Make OPTICAL **BENCH (RAIL TYPE) Aluminium Triangular Profile (Export** Pattern) 1 meter Long

Read More

SKU:

Price: ₹30,000.00

Stock: instock

Categories: Physics

Product Description

















Read More

SKU:

Price: ₹29,000.00

Stock: instock

Categories: Biotechnology

Product Description

Coil Spring Type Single Plate Clutch - Actual Working Model

Read More

SKU:

Price: ₹29,000.00

Stock: instock

Categories: Applied Mechanics



AGN ENTERPRISES





(Solenoid) Apparatus

Read More

SKU:

Price: ₹29,000.00

Stock: instock

Categories: Electronics



Product Description













Read More

SKU:

Price: ₹29,000.00

Stock: instock

Categories: Biology

Product Description



MELTING POINT APPARATUS Digital Type (Regular Quality) Precision Type

Read More

SKU:

Price: ₹28,000.00

Stock: instock

Categories: Biotechnology

Product Description

ALL KINDS OF LABORATORY EQUIPMENTS













Read More

SKU:

Price: ₹28,000.00

Stock: instock

Categories: Biotechnology

Product Description

BOTTLE WASHING MACHINE Floor Standing Model

Read More

SKU:

Price: ₹28,000.00

Stock: instock

Categories: Pharmacy



AGN ENTERPRISES



MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS











