



[Read More](#)

SKU:

Price: ₹1,750.00

Stock: instock

Categories: [Physics](#)

Product Description

SEARLE'S APPARATUS (Young Modulus) "AGN Make Spare Velvet Case for above



[Read More](#)

SKU:

Price: ₹400.00

Stock: instock

Categories: [Physics](#)

Product Description

[Read More](#)

SKU:

Price: ₹2,600.00

Stock: instock

Categories: [Physics](#)



Product Description

SEARLE'S THERMAL CONDUCTIVITY (Superior Quality) 18mm, Copper Rod

[Read More](#)

SKU:

Price: ₹4,600.00

Stock: instock

Categories: [Physics](#)



Product Description



[Read More](#)

SKU:

Price: ₹6,000.00

Stock: instock

Categories: [Physics](#)

Product Description

SEARLE'S VISCOMETER "AGN Make"

[Read More](#)

SKU:

Price: ₹5,000.00

Stock: instock

Categories: [Physics](#)



Product Description

[Read More](#)

SKU:

Price: ₹1,500.00

Stock: instock

Categories: [Geography & Surveying](#)



Product Description

SEASONS APPARATUS “AGN Make” Superior Quality

[Read More](#)

SKU:

Price: ₹1,000.00

Stock: instock

Categories: [Geography & Surveying](#)





[Read More](#)

SKU:

Price: ₹750.00

Stock: instock

Categories: [Biology](#)

Product Description

SEGUIN FORM BOARD

[Read More](#)

SKU:

Price: ₹3,900.00

Stock: instock

Categories: [Psychology](#)



Product Description

[Read More](#)

SKU:

Price: ₹1,400.00

Stock: instock

Categories: [Physics](#)



Product Description

SEMI AUTOMATIC MICROTOM



It incorporates an oil-free compressor) with rapid thawing, precise orientation and sectioning for histology, proenvironmental refrigeration mode, which displays data on screen, thickness and temperature programmed for both control panel with a digital display. UV is used for disinfection and drainage system that removes and defrost fluids in Programmable On/Off automatic and manual

LCD screen **Technical Specifications** ● Section Thickness Range: 1μm-60μm 1μm-10μm, in 1μm increment 10μm-20μm, in 2μm increments 20μm-60μm, in 5μm increments ● Trimming Range-10μm-300μm in 10μm ● Specimen Retraction : 5-75μm in 5μm ● Lowest Temp. of Peltier Unit : -50°C ● Cooling Downtime to -30°C : 60 mins. ● Maximum Specimen Size 35mm x 35mm ● Specimen Vertical Stroke : 65mm ● Specimen Horizontal Feed : 25mm Supplied complete as above with disposable blade holder assembly suitable for low & high profile blades & sample pack of disposable blades

[Read More](#)

SKU:

Price: ₹950,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It incorporates an optimized cooling system (double compressor) with rapid specimen freezing and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which displays data such as sample travel, section thickness and temperature. It can be easily programmed for both start and stop. Easy to operate control panel with controls for temperature and time. UV is used for disinfection. Equipped with a closed drainage system that ensures collection of condensed and defrost fluids in a container. **Salient Features** ● Programmable On/Off ● Double Compressor ● Both automatic and manual Defrost ● Specimen retraction function protects the specimen from blade injury ● Trimming/Sectioning button makes it easy to switch to the desired mode ● Rapid Refrigeration Mode allows desired temperature drop in 60mins ● Easy to read LCD screen **Technical Specifications** ● Section Thickness Range: 1μm-60μm 1μm-10μm, in 1μm increment 10μm-20μm, in 2μm increments 20μm-60μm, in 5μm increments ● Trimming Range-10μm-300μm in 10μm ● Specimen Retraction : 5-75μm in 5μm ● Lowest Temp. of Peltier Unit : -50°C ● Cooling Downtime to -30°C : 60 mins. ● Maximum Specimen Size 35mm x



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



#startuptindia