

[Read More](#)

**SKU:**

**Price:** ₹23,000.00

**Stock:** instock

**Categories:** [Biology](#)



## Product Description

### MICROSCOPE BINOCULAR LED Light AGN Make, 'ISI Mark' (Model BINO CXL) Co-Axial

[Read More](#)

**SKU:**

**Price:** ₹23,000.00

**Stock:** instock

**Categories:** [Biology](#)



[Read More](#)

**SKU:**

**Price:** ₹22,500.00

**Stock:** instock

**Categories:** [Biology](#)



## Product Description

## WATER STILL HEATER

It comprises of horizontal coil with a 3 KW chromi cutoff, highly efficient output of single dist safe to operate and



- Abundant Output of distilled water for Laboratory use, pyrogen free
- Distillate temperature 40° C which is safe to operate and condenser.

### Distillate Quality

Output

Cond uctivity

Disti llateQuality

**Construction**

- Boiler is provided with 1/2" NPT Screw Cork for easy draining and cleaning of boiling chamber.
- Screw Threaded Connectors : These are provided for easy plumbing & Installation to avoid any glassware breakage during assembly.
- For use on 220/240 V, 50/60Hz, Single Phase Supply.

### Additional Optional Accessories (At Extra Cost)

- Gate Valve : Conserves cooling water wastage in case of power failure.
- Flow Switch : In-built safety feature for the equipment unit shut off in case of cooling water failure.

[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Water Still/Distillation Unit](#)

## Product Description

It comprises of horizontal borosilicate glass boiler fitted with a 3 KW chromium plated immersion heater with cutoff, highly efficient coil condenser ensures a reliable output of single distillate. It is designed for easy usage, safe to operate and low cost. **Features**

- Abundant Output : The still provides 4 ltr/hr of distilled water which is ideal for General Laboratory use and is capable for producing pyrogen free distillate.
- Distillate temperature is approx. between 25° - 40° C which is ensured by highly efficient condenser.

## Distillate Quality

Output

4ltr/h r

- The stand is powder coated for long and rust free operation.
- The boiler and condenser are designed for high efficiency.
- Boiler is provided with Teflon Screw Cork for easy draining and cleaning of boiling chamber.
- Screw Threaded Connectors : These are provided for easy plumbing Et Installation to avoid any glassware breakage during assembly.
- For use on 220/240 V, 50/60Hz, Single Phase Supply.

### Additional Optional Accessories (At Extra Cost)

- Gate Valve : Conserves cooling water wastage in case of power failure.
- Flow Switch : In-built safety feature for the equipment unit shut off in case of cooling water failure.

## Inner Muffle Size in Inches & mm 12"x5"x5" (300x125x125mm)

Heating elements are made of high temperature kanthal wire. Operated by energy regulator.

[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Biotechnology](#)



### Product Description

Heating elements are made of high temperature kanthal wire. Operated by energy regulator.



[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Biotechnology](#)

## Product Description

## INSECT SHOWCASE CABINET (SMALL) 6 Showcase



[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Entomology](#)

## Product Description



**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Psychology](#)

## Product Description

### INCUBATOR BACTERIOLOGICAL Inner Chamber Aluminium 24"x24"x24" 224Ltr

[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Pharmacy](#)



## Product Description



Double walled, Outer chamber made of M.S. Powder Coated. Temp. upto 250deg C. Thermostatic controlled, Heating Element on three sides. Thermometer is provided on top. The scale is calibrated in 5 deg C Steps

[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Pharmacy](#)

## Product Description

Double walled, Outer chamber made of M.S. Powder Coated. Temp. upto 250deg C. Thermostatic controlled, Heating Element on three sides. Thermometer is provided on top. The scale is calibrated in 5 deg C Steps

## DISTILLATION APPARATUS (ALL GLASS) Single Stage having flask of cap. 10 Litre



Automatic Electrically Heated All Glass Distillation Unit, NPL Design, Heater Embedded In Spiral Glass Tube Complete With Heavy Base, Rod, Clamps, Boards Etc.

[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Pharmacy](#)



## DISINTEGRATION TEST UNIT Double Basket (Digital) Timer & Temp.



[Read More](#)

**SKU:**

**Price:** ₹22,000.00

**Stock:** instock

**Categories:** [Pharmacy](#)

### Product Description