MANUFACTURER & SUPPLIED
ALL KINDS OF LABORATORY EQUIPMENTS



Digital Temp. Controller 9"x4"x4" (225x100x100mm)



SKU:

Price: ₹35,000.00

Stock: instock

Categories: Biotechnology



Product Description

DISTILLATION APPARATUS (ALL GLASS) Triple Stage having flask of cap. 3 Litre

Automatic Electrically Heated All Glass Distillation Unit, NPL Design, Heater Embedded In Spiral Glass Tube Complete With Heavy Base, Rod, Clamps, Boards Etc.


Read More

SKU:

Price: ₹36,000.00

Stock: instock

Categories: Pharmacy



Product Description

Automatic Electrically Heated All Glass Distillation Unit, NPL Design, Heater Embedded In Spiral















(FullClilly MacIllie) Hallu

Operated

SINGLE PUNCH for making Tablets up to 1000 mg as per size of die & punch 6, 9 & 12 mm (Any one). Automatic compression & ejection device with each revolution of the wheel drive. Built on heavy cast iron body with eccentric pressure system. Stainless steel hopper provided & connected by a Rubber tube. Easy setting for thickness & hardness of tablets with lock nuts. Die & set of punches are chromium steel.

Read More

SKU:

Price: ₹36,000.00

Stock: instock

Categories: Pharmacy

Product Description

SINGLE PUNCH for making Tablets up to 1000 mg as per size of die & punch 6, 9 & 12 mm (Any one). Automatic compression & ejection device with each revolution of the wheel drive. Built on heavy cast iron body with eccentric pressure system. Stainless steel hopper provided & connected by a Rubber tube. Easy setting for thickness & hardness of tablets with lock nuts. Die & set of punches are chromium steel.



ALL KINDS OF LABORATORY EQUIPMENTS











Used for Rough & Fine Polishing of Specimens. The Specimen is held against a rotating flat disk, on which a polishing cloth impregnated with suitable polishing media such as silicon carbide powder is stretched. Disc polishing gives the specimen scratch free mirror like finish. The disc consists of 20cm balance disc mounted on steel spindle. The spindle is located on heavy duty ball bearing. The disc is easily removable for quick changing of polishing cloth or paper, which is fastened on the disk by means of a spring or rubber gridle on the rim of disc. Around the disc is a S.S drain jacket fitted with drain tube. Continuously variable Speed 300 to 1500 RPM. Works on 220V Single Phase AC Supply.

Read More

SKU:

Price: ₹36.000.00

Stock: instock

Categories: Metallurgy

Product Description

Used for Rough & Fine Polishing of Specimens. The Specimen is held against a rotating flat disk, on which a polishing cloth impregnated with suitable polishing media such as silicon carbide powder is stretched. Disc polishing gives the specimen scratch free mirror like finish. The disc consists of 20cm balance disc mounted on steel spindle. The spindle is located on heavy duty ball bearing. The disc is easily removable for quick changing of polishing cloth or paper, which is fastened on the disk by means of a spring or rubber gridle on the rim of disc. Around the disc is a S.S drain jacket fitted with drain tube. Continuously variable Speed 300 to 1500 RPM. Works on 220V Single Phase AC Supply.

MANUFACTURER & SUPPLIES
ALL KINDS OF LABORATORY EQUIPMENTS



NEGU MOLE

SKU:

Price: ₹36,000.00

Stock: instock

Categories: Biotechnology



Product Description



SINGLE STA

The apparatus cons purity quartz with be cleaning of deposits boiler with receiving Safety Control Unit parts in case of wall can withstand thermal shock proof



ro

ıar











"AU the parameters are under Standard Test Conditions' Advantages

- Rust proof powder coated sturdy stand as
- Replaceable clamps are provided for

alignment of the boiler and condenser. Advanced **Feattres**

- Distillate is pyrogen free; also it is free of heavy metals.
- Switch on time is less than minute providing distilled water instantly.
- Low maintenance is

MANUFACTURER & SUPPLIER ALL KINDS OF LABORATORY EOUIPMENTS

er C

r/Hr

tr/H













| | Output Capacity (Approx.) | Power Rating (Total) | Cooling Water C |
|---------|---------------------------|----------------------|-----------------|
| SD-25Q | 2.5Ltr/Hr | 2 KW | 40 Ltr/Hr |
| SD-50Q | 5 Ltr/Hr | 4.4 KW | 65 Ltr/Hr. |
| SD-80Q | 8 Ltr/Hr | 6 KW | 90 Ltr/Hr |
| SD-100Q | 10 Ltr/Hr | 9 KW | 120 Ltr/H |
| | | | |

Indicates 3 Phase

Safety Cut Off Device (Digital Safety Control Unit with Alarm)

| SCU-1 | 2 Ltr/Hr |
|-------|----------------|
| SCU-2 | 5.8 &10 Ltr/Hi |

^{**} It is recommended to use Water Softener Unit with All types of water distillations fo desired output, good quality distillate & long life.

Read More

SKU:

Price: ₹36,000.00

Stock: instock

Categories: Water Still/Distillation Unit

Product Description

The apparatus consists of a baler made from high purity quartz with built in discharge joint for easy cleaning of deposits. A spiral condenser is fitted on the boiler with receiving adapter. The unit comes with Safety Control Unit (Optional) to protect the Glass parts in case of water failure or overheating. Quartz can withstand thus thermal shock proof.



ALL KINDS OF LABORATORY EQUIPMENTS













"AU the parameters are under Standard Test Conditions' Advantages

- Rust proof powder coated sturdy stand as
- Replaceable clamps are provided for

alignment of the boiler and condenser. Advanced Feattres

- Distillate is pyrogen free; also it is free of heavy metals.
- Switch on time is less than minute providing distilled water instantly.
- Low maintenance is

| Borosilica | ite Condenser | | | |
|---------------------------|------------------------------|-------------------------|----------------------------------|--------------|
| Output Capacity (Approx.) | | Power Rating (Total) | Cooling Water Consumption (App.) | |
| SD-25B | 2.5Ltr/Hr | 2 KW | 40 Ltr/Hr | 36000.00 |
| SD-50B | 5 Ltr/Hr | 4.4 KW | 65 Ltr/Hr. | 60000.00 |
| SD-80B | 8 Ltr/Hr | 6 KW | 90 Ltr/Hr | 86000.00 |
| SD-100B | 10 Ltr/Hr | 9 KW | 120 Ltr/Hr | 100000.00 |
| Quartz Co | ondenser | | | |
| (| Output Capacity (Approx.) | Power Rating (Total) | Cooling Water Consum | ption (App.) |
| SD-25Q | 2.5Ltr/Hr | 2 KW | 40 Ltr/Hr | 55000.00 |
| SD-50Q | 5 Ltr/Hr | 4.4 KW | 65 Ltr/Hr. | 100000.00 |
| SD-80Q | 8 Ltr/Hr | 6 KW | 90 Ltr/Hr | 130000.00 |
| SD-100Q | 10 Ltr/Hr | 9 KW | 120 Ltr/Hr | 180000.00 |
| Indicate | es 3 Phase | | | |
| Safety Cut | t Off Device (Digital Safety | y Control Unit with Ala | rm) | |
| SCU-1 2 | 2 Ltr/Hr | | | 20000.00 |
| | 5.8 &10 Ltr/Hr | | | 22000.00 |

MANUFACTURER & SUPPLIED
ALL KINDS OF LABORATORY EQUIPMENTS



Price: ₹37,000.00

Stock: instock

Categories: Biology



Product Description

HUMAN NERVOUS SYSTEM Sympathetic Nervous System (Imported)



SKU:

Price: ₹37,000.00

Stock: instock

Categories: Biology



Product Description

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



Price: ₹37,000.00

Stock: instock

Categories: Biology



Product Description

VACUUM OVEN(Temp from ambient to 130 DegC)Inner S.S & Outer M.S 300mm Dia x 300mm Depth , Cap. 24 Ltr. Approx



Read More

SKU:

Price: ₹37,000.00

Stock: instock

Categories: Biotechnology















Read More

SKU:

Price: ₹38,000.00

Stock: instock

Categories: Physics



Product Description













Price: ₹38,000.00

Stock: instock

Categories: Biology



Product Description