



It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

SKU:

Price: ₹110,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

Hot Air Oven 150 Liters AGN-102A

[Read More](#)

SKU:

Price: ₹120,000.00 Original price was: ₹120,000.00. ₹110,000.00 Current price is: ₹110,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)



Product Description

tunning. • Door with glass window fluoroe elastomer gasket, heavy brass chrome plated hinges, quick magnetic locking facility and Two adjustable exhaust Air flap. • Inside Temperature ambient to +5°C to 300°C with accuracy $\pm 0.5^{\circ}\text{C}$, uniformity $\pm 2.0^{\circ}\text{C}$ at 100°C. • Temperature safety device (DIN 12880) with visual alarm. • Aero dynamic internal design for achieving horizontal air circulation. • Automatic cut off of heater & blower and USB Interface. • CE & ISO Certified. • Works on 220/230 VAC at 50Hz single phase.

Advanced Delivery Mechanism Demonstration Simulator

[Read More](#)

SKU:

Price: ₹115,000.00

Stock: instock

Categories: [Biology](#)



Product Description



also has a memory to store the pre-used temperature. The large plate can easily accommodate upto 50-80 cassettes. Technical Specifications ● Capacity : 60-80 Cassettes ● Overall Dimensions (mm) : 640x370x410
[Read More](#)

SKU:

Price: ₹115,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It is used to cool specimen blocks. The temperature can be easily set through the feather touch keys and it also has a memory to store the pre-used temperature. The large plate can easily accommodate upto 50-80 cassettes. Technical Specifications ● Capacity : 60-80 Cassettes ● Overall Dimensions (mm) : 640x370x410

Surgical Suturing And Bandaging Simulator

[Read More](#)

SKU:

Price: ₹116,000.00

Stock: instock

Categories: [Biology](#)



Product Description

Cap. 147 Ltr.

Temp. (5-50 Deg C) & Humidity Range 20-95%

[Read More](#)

SKU:

Price: ₹116,000.00

Stock: instock

Categories: [Biotechnology](#)



Product Description

Temp. (5-50 Deg C) & Humidity Range 20-95%

AUTOCLAVE (Vertical) Double Wall 550 x 750mm, 187 Ltr.

[Read More](#)

SKU:

Price: ₹120,000.00

Stock: instock

Categories: [Pharmacy](#)



Product Description



BT 136

[READ MORE](#)

SKU:

Price: ₹120,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

ALL QUARTZ DISTILLATION



It has been designed to meet the requirements and needs of the laboratory. All Quartz Double Distillation Unit consists of upper and lower boiler, heater enclosed in a stainless steel jacket. The upper boiler has a condensing unit which, with the help of ball and joint, ensures the coming from the two circuit. The unit in a powder coated stainless steel Control Unit. This unit is designed for better distillation unit. It has an advanced microprocessor. This has the latest technology introduced by our company.

Special advantages of Demountable Model

- Easy cleaning of the first boiler since it can be dismantled from the assembly.
- Ease of interchangeability as it is provided with Ball & Socket joint.
- Boiler & condenser have larger boiling space resulting in balanced boiling & improved quality of
- Compact and easy to install.

Parameters

Specific Conductivity

Biological Activity (distillate quality)

Organic Matter

Total Solids

Silica

'All the parameters are under Standard Test Conditions. P
water before *use*. "We recommend a Quartz Reservoir for
Water.



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



DD-35AQ	3.5Ltr/Hr
DD-40AQ	4.0Ltr/Hr
DD-50AQ	5.0Ltr/Hr

7 KW
8 KW
9 KW

■ Indicates 3 Phase

- The above cost is inclusive of Safety Cut off Device

** It is recommended to use Water Softener Unit with All types of Water dist output, good quality distillate and long life.

[Read More](#)

SKU:

Price: ₹120,000.00

Stock: instock

Categories: [Water Still/Distillation Unit](#)

Product Description

It has been designed keeping in view customer requirements and easy serviceability of the equipment. All Quartz Double Distillation consists of demountable upper and lower boiler. The lower boiler has a built in heater enclosed in a quartz boiler with a cup on top. The upper boiler has a built in quartz coil and condensing unit which is mounted on the boiler with the help of ball and socket joint. Double walled condenser ensures separate condensation of vapors coming from the two boilers using a single cooling circuit. The unit is mounted on a specially designed powder coated stand and is also provided with Safety Control Unit. This new dual - safety cut off has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry. This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction. The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine. Also there is alarm system which beeps as and when user attention is required. Special advantages of Demountable Model

- Easy cleaning of the first boiler since it can be dismantled from the assembly.
- Ease of interchangeability as it is provided with Ball & Socket joint.
- Boiler & condenser have larger boiling space resulting in balanced boiling & improved quality of
- Compact and easy to install.



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



Total Solids

0.1 mgffir

Silica

· 0.01 rrtgiltr

'All the parameters are under Standard Test Conditions. Please test the distilled water before use. "We recommend a Quartz Reservoir for storage of High Purity Water.

Technical Specifications

	Output Capacity (Approx.)	Power Rating (Total)	Cooling Water Consumption (App.)	
DD-15AQ	1.5Ltr/Hr	3 KW	50 Ltrs/Hr	120000.00
DD-25AQ	2.5Ltr/Hr	5 KW	70 Ltrs/Hr	150000.00
DD-35AQ	3.5Ltr/Hr	7 KW	90 Ltrs/Hr	200000.00
DD-40AQ	4.0Ltr/Hr	8 KW	120 Ltrs/Hr	240000.00
DD-50AQ	5.0Ltr/Hr	9 KW	150 Ltrs/Hr	280000.00

■ Indicates 3 Phase

• The above cost is inclusive of Safety Cut off Device

** It is recommended to use Water Softener Unit with All types of Water distillations for desired output, good quality distillate and long life.



[Read More](#)

SKU:

Price: ₹127,000.00

Stock: instock

Categories: [Biology](#)

Product Description

Peritoneal Dialysis Simulator

[Read More](#)

SKU:

Price: ₹127,800.00

Stock: instock

Categories: [Biology](#)



Product Description



Cap. 16x500ml With Digital Temp. Indicator Cum Controller

[Read More](#)

SKU:

Price: ₹128,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Cap. 16x500ml With Digital Temp. Indicator Cum Controller