

DF-530L-86C



[Read More](#)

SKU:

Price: ₹950,000.00 Original price was: ₹950,000.00. ₹750,000.00 Current price is: ₹750,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Laboratory Equipments](#)

Product Description

CE certified Capacity in liters: 501-550 L Type of Cabinet: Vertical Heavy duty lockable castors and levelling for adjustments and installation 15 Nos. of holding racks 4 Nos. of inner storage compartments with insulated doors and adjustable height Dual compressor 2 Nos. of corrosion resistant racks One Pair of Cryogloves One nos. of Ice scraper provided Temperature Chart recorder USB port

KNIFE SHARPENER with microprocessor control digital

[Read More](#)

SKU:

Price: ₹850,000.00

Stock: instock

Categories: [Histopathology](#)



WITH TOUCH SCREEN Capacity 1ltr.



Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes

[Read More](#)

SKU:

Price: ₹900,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes



It incorporates an O (oil-free compressor) with rapid precise orientation for histology, proenvironmental refrigeration mode, which displays data on thickness and temperature programmed for both control panel with UV is used for disinfection drainage system that and defrost fluids in Programmable On/Off automatic and manual function protects the Trimming/Sectioning the desired mode ● desired temperature LCD screen **Techni**
Thickness Range:1µm to 300µm in 10µm increment 10µm-200µm, in 5µm increment 200µm-300µm in 10µm ● 5µm ● Lowest Temperature Downtime to -30°C Size 35mm x 35mm x 65mm ● Specimen complete as above assembly suitable for sample pack of disposable

[Read More](#)

SKU:

Price: ₹950,000.00

Stock: instock

and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which displays data such as sample travel, section thickness and temperature. It can be easily programmed for both start and stop. Easy to operate control panel with controls for temperature and time. UV is used for disinfection. Equipped with a closed drainage system that ensures collection of condensed and defrost fluids in a container. **Salient Features** ● Programmable On/Off ● Double Compressor ● Both automatic and manual Defrost ● Specimen retraction function protects the specimen from blade injury ● Trimming/Sectioning button makes it easy to switch to the desired mode ● Rapid Refrigeration Mode allows desired temperature drop in 60mins ● Easy to read LCD screen **Technical Specifications** ● Section Thickness Range: 1µm-60µm 1µm-10µm, in 1µm increment 10µm-20µm, in 2µm increments 20µm-60µm, in 5µm increments ● Trimming Range-10µm-300µm in 10µm ● Specimen Retraction : 5-75µm in 5µm ● Lowest Temp. of Peltier Unit : -50°C ● Cooling Downtime to -30°C : 60 mins. ● Maximum Specimen Size 35mm x 35mm ● Specimen Vertical Stroke : 65mm ● Specimen Horizontal Feed : 25mm Supplied complete as above with disposable blade holder assembly suitable for low & high profile blades & sample pack of disposable blades

LINEAR TISSUE PROCESSOR WITH TOUCH SCREEN 2ltr.



Linear Tissue Processor is a top unit. It has a user-friendly interface and lifting of a tissue block. All the reagents are added to minimize loss due to evaporation. **SPECIFICATION No.**
Capacity : 1000ml
Yes, upto 15 programs
Device : Yes Battery
Illumination : Yes
wax containers, 36 t

Categories: [Histopathology](#)

Product Description

Linear Tissue Processor is an enclosed compact bench top unit. It has a user friendly software. The lowering and lifting of a tissue basket is smooth and noiseless. All the reagents are covered when not in use to minimize loss due to evaporation. TECHNICAL SPECIFICATION No. of stations :12 Reagent Jar Capacity : 1000ml Paraffin Station Programmable : Yes, upto 15 programs Fume Exhaust Fan : Yes Safety Device : Yes Battery Backup : Yes Chamber Illumination : Yes Supplied with 9 reagent containers, 3 wax containers, 36 tissue cassettes

FULLY AUTOMATIC CRYOSTAT MICROTOME



freezing and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which

[Read More](#)

SKU:

Price: ₹1,050,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

freezing and smooth precise orientation for high quality sectioning in histology, proenvironment refrigerant, a rapid refrigeration mode, a peltier unit, and a LCD Screen which



Price: ₹1,425,000.00 Original price was:
₹1,425,000.00. ₹1,290,000.00 Current price is:
₹1,290,000.00.

Stock: instock

Categories: [Biotechnology](#), [Histopathology](#),
[Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration Vertical Upright Deep Freezer with CE and FDA certified. These equipments are used for quick freezing and storing of vaccines, biological & medical specimens & blood samples. To manufacture the equipments, we use finest quality materials sourced from the most reliable vendors. The clients can avail our Deep Freezer Vertical Upright in different customized models and specifications as per requirements.

TECHNICAL SPECIFICATIONS: MODEL : AGN-ULDF-800L Capacity in liters : 800L Cabinet : Vertical Interior : High grade Stainless Steel Exterior : High-impact, cold rolled scratch resistant powder coated Compartments : 4 nos. Noise Level : <50dB Refrigerant : CFC & HCFC free Temp. Range : -40°C to -80°C $\pm 1^\circ$ increment Power Supply : 220-250V at 50Hz Unit Warranty : 3 Years Compressor Warranty : 5 Years

SALIENT FEATURES: ♦ User friendly design, Easy Setup & Highly efficient Longer functional life ♦ Less power consumption <15kw/day ♦ Vacuum relief port and Front panel filter ♦ Touch Screen Eye level Microprocessor Digital Display Temperature Controller ♦ Fast refrigerant recovery -70°C reach within 30 minutes at 1 minute door opening ♦ Battery Backup system and USB port access ♦ Record facility for door opening/closing ♦ Lockable high quality door magnetic latch, padlock capability with lock & key ♦ Inbuilt 4-20mA, RS485 Dry Contacts for remote monitoring. ♦ Audio Visual Alarm for High/low Temperature, battery low, and power failure etc.