



SKU:

Price: ₹315,000.00 Original price was: ₹315,000.00. ₹280,000.00 Current price is: ₹280,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: more than 300 liters.
- Double wall SS304 with glass wool insulation.
- Solid and plain bottom without electricals.
- Interior made out of polished Stainless Steel sheet 304 grade.
- Exterior made out of Stainless steel sheet 304 grade.
- Easily removable SS 304 trays with adjustable height in 25mm.
- Microprocessor based PID Digital Temperature controller LED display shows temperature & time.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility.
- Inside Temperature ambient to +50°C to 250°C with accuracy $\pm 2^{\circ}\text{C}$.
- PT100 temperature sensor.
- Audio Visual Temperature for over/undershoot temperature, door opening and security purpose.
- Forced air circulation fan for uniform temperature.
- SS tubular heater.
- Automatic daily data backup.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



Price: ₹300,000.00 Original price was: ₹300,000.00. ₹270,000.00 Current price is: ₹270,000.00.

Stock: instock

Categories: [Chemistry](#), [Laboratory Equipments](#)

Product Description

Laboratory Refrigerator *Salient Features:* Temperature range +2°C to +8°C Capacity 500 Litres Inner cabinet made of SS304 Outer cabinet made of powder-coated sheet Inner shelves made of SS304 CFC free, eco-friendly refrigerant (R134a) Cyclopentain foaming PUF insulation No frost, fan-assisted cooling circulation system Ultra-fast pull-down times, auto defrost with a self-evaporating drip tray front to rear hot air anti-condensation a digital temperature controller Double grazed safety glass doors Low noise and green technology, energy-saving technology full-length elimination fitted with caster wheels, front two with brakes self-closing hinge doors with locks as standard Input 220-240V, 50Hz with power code and plug circular chart temperature recorder USB port 45mm dia Automatic voltage stabilizer with time delay restart

Capacity 2ltr.



It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.

[Read More](#)

SKU:

Price: ₹270,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath(Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled , 24 S.S Tissue Cassettes , 1 S.S. Basket, dust cover and operational manual.



Price: ₹295,000.00 Original price was: ₹295,000.00. ₹
255,000.00 Current price is: ₹255,000.00.

Stock: instock

Categories: [Biotechnology](#)

Product Description

MAGNETIC STIRRER WITH HOTPLATE 5 PLACES Cat. No: AGN-ISTIR HP5M We

understand that reliability and adequate performance are of the utmost importance when it comes to your multi-station heating magnetic stirrer requirements. But, the market is filled with sub-par quality products. There are obvious downsides of such products like low heating efficiency, no variable timer etc., but then there are less obvious disadvantages as well like a run-of-the-mill software setup which forces you to constantly stand by the side of the device to monitor its performance and input parameters from time to time. Multi-station magnetic stirrers are built to deliver the kind of performance that is promised. Our in-house R&D capabilities from design to extensive performance tests enhance the consistency of results and deliver unmatched performance. The software as well as the hardware of the device is geared towards optimizing your time and efforts by delivering exceptional performance and adequate safety. The exceptional heating efficiency & programmable pulse mode provides explicit commands for marvelous user experience.

OF THE ANTENA. “AGN Make”



I) Pyramidal Horn IV) Dielectric Horn II) Pick Up Horn V)
Sectorial Horns III) Slotted W/G Horn VI) Parabolic Dish

[Read More](#)

SKU:

Price: ₹250,000.00

Stock: instock

Categories: [Electronics](#)

Product Description

I) Pyramidal Horn IV) Dielectric Horn II) Pick Up Horn V) Sectorial Horns III) Slotted W/G Horn VI) Parabolic Dish

Automatic Slide Staining Machine (12 Stations)

[Read More](#)

SKU:

Price: ₹230,000.00

Stock: instock

Categories: [Pathology](#)



Product Description



(MAGIC T, DIRECTIONAL COUPLER, ISOLATOR, CIRCULATOR) To Study Magic Tee, Directional Couplers, Isolators & Circulators. To Study the Characteristics of detector diode To study Attenuation measurement. To study the return loss measurement

[Read More](#)

SKU:

Price: ₹220,000.00

Stock: instock

Categories: [Electronics](#)

Product Description

(MAGIC T, DIRECTIONAL COUPLER, ISOLATOR, CIRCULATOR) To Study Magic Tee, Directional Couplers, Isolators & Circulators. To Study the Characteristics of detector diode To study Attenuation measurement. To study the return loss measurement

AND TO MEASURE PHASE SHIFT & 'Q' OF A CAVITY. "AGN Make"



To measure dielectric constant of Solids To Measure
dielectric constant of Liquids To measure Phase Shift
To measure 'Q' of a cavity

[Read More](#)

SKU:

Price: ₹220,000.00

Stock: instock

Categories: [Electronics](#)

Product Description

To measure dielectric constant of Solids To Measure dielectric constant of Liquids To measure
Phase Shift To measure 'Q' of a cavity

AUTOMATIC Capacity 1lt



It is based on pin up
and processing cyc
programming. Tech
stations : 12 Reage
Bath(Station) : 2 De
Device : Yes Basket
complete as above
bath thermostatica
Cassettes ,1 S.S. Ba
manual.

[Read More](#)

SKU:

Product Description

It is based on pin up timer for programming both delay and processing cycle and no need of cutting plier for programming. Technical Specification Number of stations : 12 Reagent Stations : 10 Paraffin Wax Bath (Station) : 2 Delay Start : upto 24hrs Safety Device : Yes Basket Rotation : Yes (4 R.P.M.) Supplied complete as above with 10 reagent beakers, 2 wax bath thermostatically controlled, 24 S.S Tissue Cassettes, 1 S.S. Basket, dust cover and operational manual.

Advanced Trauma Simulator

[Read More](#)

SKU:

Price: ₹208,500.00

Stock: instock

Categories: [Biology](#)



Product Description

[Read More](#)

SKU:

Price: ₹172,000.00

Stock: instock

Categories: [Biotechnology](#)



Product Description

REFRIGERATED CENTRIFUGE (Digital) T-60

[Read More](#)

SKU:

Price: ₹170,000.00

Stock: instock

Categories: [Chemistry](#)





AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



#startuptindia