

[Read More](#)

SKU:

Price: ₹169,000.00

Stock: instock

Categories: [Biology](#)



Product Description

ROTARY VA (Complete D Lifting) Colo Model



Provided With LED
Lift Arrangement Fo
100mm, Lifting Up/
Digital Temp. Contr
+5 Deg C To 180 D
Offers Smooth Rota
Water Circulation &
The Rear Of The Lif
Joints Of Condenser
Unit, Rubber Tubes

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

ROTARY VACUUM EVAPORATOR (Complete Digital & Motorised Lifting) Vertical Condenser Model



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹160,000.00

Stock: instock

Categories: [Biotechnology](#)

Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

ORBITAL SHAKING INCUBATOR CUM- B.O.D. Incubator Temp. 5°C to 60°C with lighting arrangement



Cap. 16x500ml With Digital Temp. Indicator Cum Controller

[Read More](#)

SKU:

Price: ₹160,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Cap. 16x500ml With Digital Temp. Indicator Cum Controller

Model



Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.

[Read More](#)

SKU:

Price: ₹154,000.00

Stock: instock

Categories: [Biotechnology](#)

Product Description

Provided With LED Display For Rpm Control, Motorised Lift Arrangement For Glass Assembly Control Upto 100mm, Lifting Up/down Through Soft Touch Switches. Digital Temp. Controlled Water/ Oil Bath From Ambient +5 Deg C To 180 Deg C, Cap 4.5 Ltr. Geared Drive Unit Offers Smooth Rotational Speed From 20 To 180 Rpm. Water Circulation & Vacuum Inlet Assembly Is Fitted At The Rear Of The Lift To Reduce The Pressure At Glass Joints Of Condenser. Provided With Complete Glass Unit, Rubber Tubes, Clips Etc.



TO Study The Characteristics Of Gunn Diode. To study the frequency, guide wavelength & free space wavelength. To measure the SWR and reflection coefficient. To measure impedance of a load.

[Read More](#)

SKU:

Price: ₹150,000.00

Stock: instock

Categories: [Electronics](#)

Product Description

To Study The Characteristics Of Gunn Diode. To study the frequency, guide wavelength & free space wavelength. To measure the SWR and reflection coefficient. To measure impedance of a load.



To Study characteristics of Reflex Klystron. To Study Frequency, guide wavelength & free space wavelength. To measure the SWR & Reflection Coefficient. To Measure Impedence of a Load

[Read More](#)

SKU:

Price: ₹150,000.00

Stock: instock

Categories: [Electronics](#)

Product Description

To Study characteristics of Reflex Klystron. To Study Frequency, guide wavelength & free space wavelength. To measure the SWR & Reflection Coefficient. To Measure Impedence of a Load

BOMB CALORIMETER APPARATUS (FULLY AUTOMATIC)

[Read More](#)

SKU:

Price: ₹150,000.00

Stock: instock

Categories: [Chemistry](#)



Capacity



It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

SKU:

Price: ₹140,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It has a memory function to store the set temperature, the feather touch keyboard and large display makes it easy to use. The nozzle is fitted with temperature control so that the free flow of wax is maintained. Temperature range is from ambient to 100°C.

[Read More](#)

SKU:

Price: ₹140,000.00

Stock: instock

Categories: [Applied Mechanics](#)



Product Description

REFRIGERATED MICROCENTRIFUGE

[Read More](#)

SKU:

Price: ₹140,000.00

Stock: instock

Categories: [Chemistry](#)



Product Description



[Read More](#)

SKU:

Price: ₹140,000.00

Stock: instock

Categories: [Physics](#)

Product Description