

AMMETER

[Read More](#)

SKU:

Price: ₹4,800.00

Stock: instock

Categories: [Electronics](#)



Product Description

CONVERSION OF GALVANOMETER INTO VOLTMETER

[Read More](#)

SKU:


Price: ₹3,300.00

Stock: instock

Categories: [Electronics](#)



Product Description



[Read More](#)

SKU:

Price: ₹16.00

Stock: instock

Categories: [Physics](#)

Product Description

CONVEX LENS (Regular Quality) “AGN Make Dia 50mm, F.L.10cm



[Read More](#)

SKU:

Price: ₹28.00

Stock: instock

Categories: [Physics](#)

Product Description

CONVEX LENS (Regular Quality) “AGN Make Dia 50mm, F.L.5cm



[Read More](#)

SKU:

Price: ₹56.00

Stock: instock

Categories: [Physics](#)

“AGN Make Dia 75mm, F.L.10cm

[Read More](#)

SKU:

Price: ₹100.00

Stock: instock

Categories: [Physics](#)



Product Description

CONVEX MIRROR, F.L.10 to 30cm (Any One Focal Length) Dia 50mm

[Read More](#)

SKU:

Price: ₹28.00

Stock: instock

Categories: [Physics](#)



Product Description



AGN ENTERPRISES

MANUFACTURER & SUPPLIER
ALL KINDS OF LABORATORY EQUIPMENTS



[Read More](#)

SKU:

Price: ₹64.00

Stock: instock

Categories: [Physics](#)



Product Description

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Uncategorized](#)



Product Description

Description : AGN BOD Incubators are especially useful for determining levels of organic matter and nitrogen in waste water samples. These incubators are also called low temperature incubators. The BOD incubator provides the required temperature for the growth of microorganisms. In microbiology laboratories, it is broadly used for cell culture and fungal growth, BOD test, fermentation, crop and physiology, and various pharmaceutical tests etc. Trouble Monitor for Self-Diagnostic Function & provided with Key Lock Switch **Technical**

Specification : Function : Programmable 3-step operational function Controller : Microprocessor Control with a heater PID and compressor Temperature range : -10°C to 50°C Capacity : 235 Litres Shelves material : P. E coated steel wire, adjustable No. of shelves : 5 Nos. Compressor : Air circulation fan with Hermetic type Compressor Alarm : Audible and Visual Alarms Temperature controllability : ± 0.2 deg. at Heater PID control Temperature uniformity :

operations and minimum 10 programs memorized *CFC-free Foamed-in-place Rigid Polyurethane Insulator & Hermetic Compressor *Triple-pane Glass Observation Window plus 15W Fluorescent Lamp *Independent Over-Temp. Protection Device isolated from main circuit *Programmed Memory Backup & Automatic Return Buzzer Switch

Cooled Incubator

Features :- * Feed forward function to input the operating conditions of the compressor * 12-step repeat from 1 - 98 times or unlimited programmed operations and Minimum 10 programs memorized * CFC-free Foamed-in-place Rigid Polyurethane Insulator & Hermetic Compressor * Triple-pane Glass Observation Window plus 15W Fluorescent Lamp * Independent Over-Temp. Protection Device isolated from main circuit * Programmed Memory Backup & Automatic Return Buzzer Switch

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Uncategorized](#)



Product Description

AGN-109 AGN BOD Incubators are especially useful for determining levels of organic matter and nitrogen in waste water samples. These incubators are also called low temperature incubators. The BOD incubator provides the required temperature for the growth of

1 - 98 times or unlimited programmed operations and minimum 10 programs memorized * CFC-free Foamed-in-place Rigid Polyurethane Insulator & Hermetic Compressor * Triple-pane Glass Observation Window plus 15W Fluorescent Lamp * Independent Over-Temp. Protection Device isolated from main circuit * Programmed Memory Backup & Automatic Return Buzzer Switch

Technical Specification Function : Programmable 3-step operational function Controller : Microprocessor Control with a heater PID and compressor Temperature range : -10°C to 50°C Capacity : 235 Litres Shelves material : P. E coated steel wire, adjustable No. of shelves : 5 Nos. Compressor : Air circulation fan with Hermetic type Compressor Alarm : Audible and Visual Alarms Temperature controllability : ± 0.2 deg. at Heater PID control Temperature uniformity : ± 0.5 deg. Exterior finish : Baked acrylic finish on galvanized steel Interior finish : Stainless steel Door : Baked acrylic finish on galvanized steel triple-pane glass

COOLING PLATE

It is used to cool specimen blocks. The temperature can be easily set through the feather touch keys and it also has a memory to store the pre-used temperature. The large plate can easily accommodate upto 50-80 cassettes. Technical Specifications ● Capacity : 60-80 Cassettes ● Overall Dimensions (mm) : 640x370x410 [Read More](#)

SKU:

Price: ₹115,000.00

Stock: instock

Categories: [Histopathology](#)

Product Description

It is used to cool specimen blocks. The temperature can be easily set through the feather touch keys and it also has a memory to store the pre-used temperature. The large plate can easily accommodate upto 50-80 cassettes. Technical Specifications ● Capacity : 60-80 Cassettes ● Overall Dimensions (mm) : 640x370x410





Price: ₹39.00

Stock: instock

Categories: [Chemistry](#)

Product Description