



FEATURES:

- Less power consumption
- LED Digital Display Temperature Controller
- Highly efficient Longer functional life
- Cleanable & replaceable door magnetic gasket
- Lockable high quality single steel door latch with lock & key
- User friendly design & Easy Setup
- Audio Visual Temperature Alarm for security purpose or power failure

PRODUCT SPECIFICATIONS: MODEL : AGN-LDF-

360L Capacity in liters : 400L Cabinet : Vertical
Cooling/Refrigerant type : Direct/CFC free
Interior/Exterior : Exterior made of high-impact, scratch resistant powder coated and Interior SS chamber Castors : Heavy duty lockable Ground clearance : 100mm Compartments/Racks : 4 nos.
Temp. Range : -10°C to -25°C increment $\pm 1^\circ\text{C}$ Noise level : 60dB Power Supply : 220/230V at 50Hz **Spares Including:** Power cable and Plug Voltage Stabilizer Instruction Manual Warranty Certificate

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we

sources from the most reliable vendors. The clients can avail our Deep Freezer vertical upright in different customized models and specifications as per requirements.

Hot Air Oven AGN-101H

[Read More](#)

SKU:

Price: ~~₹315,000.00~~ Original price was: ₹315,000.00. ₹280,000.00 Current price is: ₹280,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)



Product Description

- Capacity: more than 300 liters.
- Double wall SS304 with glass wool insulation.
- Solid and plain bottom without electricals.
- Interior made out of polished Stainless Steel sheet 304 grade.
- Exterior made out of Stainless steel sheet 304 grade.
- Easily removable SS 304 trays with adjustable height in 25mm.
- Microprocessor based PID Digital Temperature controller LED display shows temperature & time.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility.
- Inside Temperature ambient to +50°C to 250°C with accuracy $\pm 2^{\circ}\text{C}$.
- PT100 temperature sensor.
- Audio Visual Temperature for over/undershoot temperature, door opening and security purpose.
- Forced air circulation fan for uniform temperature.
- SS tubular heater.
- Automatic daily data backup.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[READ MORE](#)

SKU:

Price: ₹115,000.00 Original price was: ₹115,000.00. ₹105,000.00 Current price is: ₹105,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: 150 litre.
- Glass wool insulation.
- External Dimension: 710x651x870mm.
- Internal Dimension: 600x500x500mm.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of cold rolled steel plate with melamine resin baking finish.
- Shelf plate with standard load approx. 15kgs/piece
- Easily removable SS 304 trays with adjustable height.
- Microprocessor PID Digital 3 patterns Temperature controller LCD/LED display.
- Door with heavy brass chrome plated hinges, quick magnetic locking facility and Scirocco fan.
- Inside Temperature ambient to +10°C to 250°C with accuracy $\pm 2.5^{\circ}\text{C}$, temp control $+1^{\circ}\text{C}$.
- Safety counter measures: self diagnosis functions (temp sensor abnormal, heater disconnection, SSR-short Automatic overheating prevention).
- Key lock function, over heat prevention, electrical leakage breaker with over current protection. SS heater 1.34KW and 30W blower motor fan.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



[READ MORE](#)

SKU:

Price: ₹120,000.00 Original price was: ₹120,000.00. ₹110,000.00 Current price is: ₹110,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Entomology](#), [Histopathology](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

- Capacity: more than 150 litre bench top model.
- Interior made out of polished Stainless Steel sheet.
- Exterior made out of (CRCA) Mild Steel powder coated paint.
- Chrome plated rack, load capacity 10kg.
- 3 nos. easily removable SS 304 trays with adjustable height.
- Automatic Microprocessor programmable PID Digital Temperature controller with timer, alarm & auto tuning.
- Door with glass window fluoroelastomer gasket, heavy brass chrome plated hinges, quick magnetic locking facility and Two adjustable exhaust Air flap.
- Inside Temperature ambient to +5°C to 300°C with accuracy $\pm 0.5^{\circ}\text{C}$, uniformity $\pm 2.0^{\circ}\text{C}$ at 100°C.
- Temperature safety device (DIN 12880) with visual alarm.
- Aero dynamic internal design for achieving horizontal air circulation.
- Automatic cut off of heater & blower and USB Interface.
- CE & ISO Certified.
- Works on 220/230 VAC at 50Hz single phase.



Price: ₹350,000.00 Original price was: ₹350,000.00. ₹325,000.00 Current price is: ₹325,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Histopathology](#), [Hospital Furniture](#), [Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

FROST FREE DEEP FREEZER (AGN-DF-720L-30C) *Technical Specifications* • Refrigerator Type: Upright freezer with shelves • Temperature: -20° C or better • Microprocessor controller • Display – Digital • Capacity: 640 Liters (Approximate) • Defrosting Type: Frost Free (Automatic defrosting facility) • Alarm: Temperature-high/low, door open, power cut, malfunction • ISO & CE certified • Power: 230V, 50/ 60Hz • Warranty: 1 year



Price: ₹1,425,000.00 Original price was:
₹1,425,000.00. ₹1,290,000.00 Current price is:
₹1,290,000.00.

Stock: instock

Categories: [Biotechnology](#), [Histopathology](#),
[Laboratory Equipments](#), [Pathology](#), [Pharmacy](#)

Product Description

PRODUCT DESCRIPTION: To provide high end range of scientific equipment to the clients, we are engaged in manufacturing and supplying a quality grade H-drive hydrocarbon refrigeration Vertical Upright Deep Freezer with CE and FDA certified. These equipments are used for quick freezing and storing of vaccines, biological & medical specimens & blood samples. To manufacture the equipments, we use finest quality materials sourced from the most reliable vendors. The clients can avail our Deep Freezer Vertical Upright in different customized models and specifications as per requirements.

TECHNICAL SPECIFICATIONS: MODEL : AGN-ULDF-800L Capacity in liters : 800L Cabinet : Vertical Interior : High grade Stainless Steel Exterior : High-impact, cold rolled scratch resistant powder coated Compartments : 4 nos. Noise Level : <50dB Refrigerant : CFC & HCFC free Temp. Range : -40°C to -80°C $\pm 1^\circ$ increment Power Supply : 220-250V at 50Hz Unit Warranty : 3 Years Compressor Warranty : 5 Years

SALIENT FEATURES: ♦ User friendly design, Easy Setup & Highly efficient Longer functional life ♦ Less power consumption <15kw/day ♦ Vacuum relief port and Front panel filter ♦ Touch Screen Eye level Microprocessor Digital Display Temperature Controller ♦ Fast refrigerant recovery -70°C reach within 30 minutes at 1 minute door opening ♦ Battery Backup system and USB port access ♦ Record facility for door opening/closing ♦ Lockable high quality door magnetic latch, padlock capability with lock & key ♦ Inbuilt 4-20mA, RS485 Dry Contacts for remote monitoring. ♦ Audio Visual Alarm for High/low Temperature, battery low, and power failure etc.



[Read More](#)

SKU:

Price: ₹950,000.00 Original price was: ₹950,000.00. ₹750,000.00 Current price is: ₹750,000.00.

Stock: instock

Categories: [Biology](#), [Biotechnology](#), [Chemistry](#), [Laboratory Equipments](#)

Product Description

CE certified Capacity in liters: 501-550 L Type of Cabinet: Vertical Heavy duty lockable castors and levelling for adjustments and installation 15 Nos. of holding racks 4 Nos. of inner storage compartments with insulated doors and adjustable height Dual compressor 2 Nos. of corrosion resistant racks One Pair of Cryogloves One nos. of Ice scraper provided Temperature Chart recorder USB port



Price: ₹300,000.00 Original price was: ₹300,000.00. ₹270,000.00 Current price is: ₹270,000.00.

Stock: instock

Categories: [Chemistry](#), [Laboratory Equipments](#)

Product Description

Laboratory Refrigerator *Salient Features:* Temperature range +2°C to +8°C Capacity 500 Litres Inner cabinet made of SS304 Outer cabinet made of powder-coated sheet Inner shelves made of SS304 CFC free, eco-friendly refrigerant (R134a) Cyclopentain foaming PUF insulation No frost, fan-assisted cooling circulation system Ultra-fast pull-down times, auto defrost with a self-evaporating drip tray front to rear hot air anti-condensation a digital temperature controller Double grazed safety glass doors Low noise and green technology, energy-saving technology full-length elimination fitted with caster wheels, front two with brakes self-closing hinge doors with locks as standard Input 220-240V, 50Hz with power code and plug circular chart temperature recorder USB port 45mm dia Automatic voltage stabilizer with time delay restart

[Read More](#)

SKU:

Price: ₹69,000.00 Original price was: ₹69,000.00. ₹62,100.00 Current price is: ₹62,100.00.

Stock: instock

Categories: [Hospital Furniture](#)



Product Description

DRUG CART Salient Features • Emergency cart constructed of SS 304/aluminum and high density resin. • Defibrillator shelf with monitor straps, glove dispenser, sharp container, oxygen cylinder cradle, IV pole, cardiac chest board, writing surface. • Clear plastic/ABS plastic overlay for top cap. • Push handle built in to the end panel for smooth and stable movement. • Pullout writing surface top. • light, sturdy and scratch resistant. • All drawers are lockable • Having minimum of five drawers with adjustable/fixed divides. • Having side bin discarding syringes and gloves. • Lockable Castor is not be less than 5" diameter to facilitate quite and easy manuvreability, dust-prevention, flexible transportation • Size: Height up to top: 90 to 100 cms (excluding castors upto top cap) Length of base - 60-70 cms Depth/ Width: 45 - 55 cms • Width and depth is good enough to accommodate the necessary items. • Base is not be less than 60 to 70 cm • Width and depth is good enough to accommodate the necessary items. • ISO 13485:2016



SKU:

Price: ₹375,000.00 Original price was: ₹375,000.00. ₹350,000.00 Current price is: ₹350,000.00.

Stock: instock

Categories: [Chemistry](#)

Product Description

It comes with modern and sophisticated features, one of which is its capacity to show rapid temperature and humidity changes according to input settings. They can cool down impressively, with high precision, enabling you to carry out complex climate tests. Through the digital display (Temperature, weekdays, time, humidity, automatic fan speed, programer status and set-up values-language) with Audio-Visual Alarm you can see all the parameters such as temperature inside as well as the humidity levels. The ingenuity of the design that it is capable of stable operation over long periods of time, even in situations wherein the illuminated chambers are filled with samples. **Its features include:**

- International quality standards and suitable for most of environmental conditions
- These Environmental Chamber are doubled walled constructed and has proper locking arrangement for SS 304 door is capable of simulating a wide rage of temperature and humidity conditions with Polystyrene Foam insulated.
- Compact in designed which enables you to place it in small space and use with ease.
- Is designed according to international quality standards hence you can be rest assured of high quality performance.
- Inclusive of secure locking system so that contents are safe and secure inside.
- Humidity inside is created with steam injected into the working chamber.
- Energy efficient and show safe and reliable performance in maintaining temperature as required in research environments. You will find our environment chamber to be just the thing needed to test materials under dynamic conditions. It has the capacity to control complex temperature at

dimension : 410W X 300d X 300h Exterior dimension : 758W X 645d X 1110h Display :
Programmable digital touch screen Shelves : SS Wire Mesh Refrigerant : CFC Free R-404 non
flammable (hermetically sealed single stage refrigeration system Temperature Range : -20°C to
+150°C $\pm 0.2^\circ\text{C}$ Humidity Range : 20% to 98% $\pm 1\%$ Access Port : Dia 50mm Pull Down time :
+40°C to 20°C within 35 mins Heat up time : -20°C to +150°C within 35 mins Water Tank
Capacity : 5 liters Calibration : Yes Data Logger : Yes Works on : 220/240VAC, Single Phase

CO2 Incubator

[Read More](#)

SKU:

Price: ~~₹750,000.00~~ Original price was: ₹750,000.00. ₹
695,000.00 Current price is: ₹695,000.00.

Stock: instock

Categories: [Laboratory Equipments](#)



Product Description

Carbon dioxide (CO₂) incubators provide optimal growing conditions and contamination prevention for valuable cell cultures. Wide range of CO₂ incubators, ranging from a small capacity and volume to a large scale capacity cabinet. All the CO₂ incubators are build with the patented Water Jacket and Air Jacket systems, which minimizes the risk of condensation at the present and in the future. Features: • Water tank for humidity in the chamber. • Air jacket:

temperature, CO₂ concentration, run-time and timing. • High quality infrared sensor for accurate CO₂ concentration. • The working chamber adopts round angle structure, easy to clean.

Magnetic Stirrer with Hotplate

[Read More](#)

SKU:

Price: ₹295,000.00 Original price was: ₹295,000.00. ₹255,000.00 Current price is: ₹255,000.00.

Stock: instock

Categories: [Biotechnology](#)



Product Description

MAGNETIC STIRRER WITH HOTPLATE 5 PLACES Cat. No: AGN-ISTIR HP5M We

understand that reliability and adequate performance are of the utmost importance when it comes to your multi-station heating magnetic stirrer requirements. But, the market is filled with sub-par quality products. There are obvious downsides of such products like low heating efficiency, no variable timer etc., but then there are less obvious disadvantages as well like a run-of-the-mill software setup which forces you to constantly stand by the side of the device to monitor its performance and input parameters from time to time. Multi-station magnetic stirrers are built to deliver the kind of performance that is promised. Our in-house R&D capabilities from design to extensive performance tests enhance the consistency of results and deliver unmatched performance. The software as well as the hardware of the device is geared towards optimizing your time and efforts by delivering exceptional performance and adequate safety. The exceptional heating efficiency & programmable pulse mode provides explicit commands for marvelous user experience.